

# Solid Box Trucks (2, 3, & 4 Sided)

**Models BB, BC, BD - Low deck truck for frequent loading and unloading of packages**

**1,200 LB CAP.\*** (\*800 lb. with T5 casters)



Model BB Shown

**1,200 LB CAP.\*** (\*800 lb. with T5 casters)



Model BC Shown

**1,200 LB CAP.\*** (\*800 lb. with T5 casters)



Model BD Shown

### Product Features:

- Sides are 20" high 14 gauge steel.
- Top shelf (deck of box) is 20" high.
- All welded construction (except casters).
- Durable **12 gauge steel shelves**, 3/16" thick angle corners & top frame, and 12 gauge caster mounts for long lasting use.
- Tubular handle with smooth radius bend for comfort and uniform appearance.
- Bolt on casters, 2 swivel & 2 rigid - see specifications chart.
- 1-1/2" shelf lips up for retention (see options).
- Clearance between shelves - 12".
- Overall height (see options) - 40" (44" with full pneumatic casters).

### Options for all Models:

- 2 wheel brakes on swivel casters - **Code B5 or BN**
- Floor lock - **Code F5 or FN**
- Shelf lips down (flush) - **Code FA**
- Fork pockets (specify center line)- **Code FP**
- Dual handle - **Code DH**
- Other casters (page 99) and box heights available.

### Options for Model BD only:

- **12" high box (40" overall height) - Code TB**
- Solid hinged top lid with lockable hasp (no lock) - **Code TL**

### Model BB - with 2 sides

WxL (in)	5" Casters Cat. No.'s				8" Full Pneumatic	
	Urethane	Thermorubber	Steel	Wgt. (lbs)	Cat. No.'s	Wgt. (lbs)
18 x 36	BB136-U5	BB136-T5	BB136-L5	112	BB136-N8	128
24 x 36	BB236-U5	BB236-T5	BB236-L5	140	BB236-N8	156
	48	BB248-U5	BB248-T5	164	BB248-N8	180
60	BB260-U5	BB260-T5	BB260-L5	182	BB260-N8	198
30 x 36	BB336-U5	BB336-T5	BB336-L5	160	BB336-N8	190
	48	BB348-U5	BB348-T5	186	BB348-N8	216
	60	BB360-U5	BB360-T5	214	BB360-N8	244

### Model BC - with 3 sides

WxL (in)	5" Casters Cat. No.'s				8" Full Pneumatic	
	Urethane	Thermorubber	Steel	Wgt. (lbs)	Cat. No.'s	Wgt. (lbs)
18 x 36	BC136-U5	BC136-T5	BC136-L5	132	BC136-N8	148
24 x 36	BC236-U5	BC236-T5	BC236-L5	160	BC236-N8	176
	48	BC248-U5	BC248-T5	190	BC248-N8	206
60	BC260-U5	BC260-T5	BC260-L5	214	BC260-N8	230
30 x 36	BC336-U5	BC336-T5	BC336-L5	180	BC336-N8	210
	48	BC348-U5	BC348-T5	212	BC348-N8	242
	60	BC360-U5	BC360-T5	244	BC360-N8	274

### Model BD - with 4 sides

WxL (in)	5" Casters Cat. No.'s				8" Full Pneumatic	
	Urethane	Thermorubber	Steel	Wgt. (lbs)	Cat. No.'s	Wgt. (lbs)
18 x 36	BD136-U5	BD136-T5	BD136-L5	152	BD136-N8	168
24 x 36	BD236-U5	BD236-T5	BD236-L5	180	BD236-N8	196
	48	BD248-U5	BD248-T5	216	BD248-N8	232
60	BD260-U5	BD260-T5	BD260-L5	246	BD260-N8	262
30 x 36	BD336-U5	BD336-T5	BD336-L5	200	BD336-N8	230
	48	BD348-U5	BD348-T5	238	BD348-N8	268
	60	BD360-U5	BD360-T5	276	BD360-N8	306

## Low Profile Solid Box Trucks (4 Sided)

**Model BL - "Box on Wheels", Lowest box truck for frequent loading of parts or scrap**

1,200 LB CAP.\* (\*800 lb. with T5 casters)



### Product Features:

- 4 sides are 20" high 14 gauge steel.
- All welded construction (except casters).
- Durable **12 gauge steel bottom shelf**, 3/16" thick angle corners & top frame, and 12 gauge caster mounts for long lasting use.
- Tubular handle with smooth radius bend for comfort and uniform appearance.
- Bolt on casters, 2 swivel & 2 rigid, for easy replacement and superior cart tracking - see specifications chart.
- Overall height - 27" (31" with full pneumatic casters) - see options.

### SPECIFICATIONS

WxL (in)	5" Casters Cat. No.'s				8" Full Pneumatic	
	Urethane	Thermorubber	Steel	Wgt. (lbs)	Cat. No.'s	Wgt. (lbs)
18 x 36	BL136-U5	BL136-T5	BL136-L5	142	BL136-N8	162
24 x 36	BL236-U5	BL236-T5	BL236-L5	156	BL236-N8	176
48	BL248-U5	BL248-T5	BL248-L5	194	BL248-N8	214
60	BL260-U5	BL260-T5	BL260-L5	212	BL260-N8	232
30 x 36	BL336-U5	BL336-T5	BL336-L5	170	BL336-N8	210
48	BL348-U5	BL348-T5	BL348-L5	200	BL348-N8	240
60	BL360-U5	BL360-T5	BL360-L5	230	BL360-N8	270

### Options:

- 2 wheel brakes on swivel casters - **Code B5 or BN**
- Floor lock - **Code F5 or FN**
- Ergonomic handle - **Code EH**
- Solid hinged top lid with lockable hasp (no lock) - **Code TL**
- Fork lift pockets - 3" x 6" (specify center line) - **Code FP**
- Other casters (page 99) and box heights available

## Low 3 Sided Solid Box Trucks (1 Shelf)

**Model BZ - Limited access to one side, used as small package transporter**

1,200 LB CAP.\* (\*800 lb. with T5 casters)



### Product Features:

- Limited access one side.
- **14 gauge sheet metal 3' high on 3 sides.**
- All welded construction (except casters).
- Durable **12 gauge steel shelves**, 3/16" thick angle corners, and 12 gauge caster mounts for long lasting use.
- Tubular handle with smooth radius bend for comfort and uniform appearance.
- Bolt on casters, 2 swivel & 2 rigid, for easy replacement and superior cart tracking - see specifications chart.
- 1-1/2" shelf lips up for retention (see options).
- Overall height - 44" (48" with full pneumatic casters).

**4' High Sides  
Version  
model FA  
see page 68**

### SPECIFICATIONS

WxL (in)	5" Casters Cat. No.'s				8" Full Pneumatic	
	Urethane	Thermorubber	Steel	Wgt. (lbs)	Cat. No.'s	Wgt. (lbs)
24 x 36	BZ236-U5	BZ236-T5	BZ236-L5	164	BZ236-N8	184
48	BZ248-U5	BZ248-T5	BZ248-L5	180	BZ248-N8	200
30 x 48	BZ348-U5	BZ348-T5	BZ348-L5	192	BZ348-N8	212
60	BZ360-U5	BZ360-T5	BZ360-L5	210	BZ360-N8	230

### Options:

- 2 wheel brakes on swivel casters - **Code B5 or BN**
- Floor lock (centered on handle end) - **Code F5 or FN**
- Ergonomic handle - **Code EH**
- Shelf lip down (flush) - **Code FA**
- Fork lift pockets - 3" x 6" (specify center line) - **Code FP**
- Other casters (page 99) available.

# Mesh Box Trucks (2, 3, & 4 Sided)

**Models GB, GC, GD - Low deck truck for frequent loading and unloading of packages**

1,200 LB CAP.\* (\*800 lb. with T5 casters)



Model GB Shown

1,200 LB CAP.\* (\*800 lb. with T5 casters)



Model GC Shown

1,200 LB CAP.\* (\*800 lb. with T5 casters)



Model GD Shown

### Product Features:

- Sides are 20" high flattened 13 gauge expanded mesh.
- Top shelf (deck of box) is 20" high.
- 1-1/2" angle reinforces top edges.
- All welded construction (except casters).
- Durable 12 gauge steel shelves, 3/16" thick angle corners, and 12 gauge caster mounts for long lasting use.
- Tubular handle with smooth radius bend for comfort and uniform appearance.
- Bolt on casters, 2 swivel & 2 rigid - see specifications chart.
- 1-1/2" shelf lips up for retention (see options).
- Clearance between shelves - 12".
- Overall height (see options) - 40" (44" with full pneumatic casters).

### Options for all Models:

- 2 wheel brakes on swivel casters - **Code B5 or BN**
- Floor lock - **Code F5 or FN**
- Shelf lips down (flush) - **Code FA**
- Fork pockets (specify center line) - **Code FP**
- Dual handle - **Code DH**
- Other casters (page 99) and box heights available.

### Options for Model GD only:

- 12" high box (40" overall height) - **Code TB**
- Solid hinged top lid with lockable hasp (no lock) - **Code TL**
- Half side drop gate - **Code DG**

### Model GB - with 2 sides

WxL (in)	5" Casters Cat. No.'s				8" Full Pneumatic	
	Urethane	Thermorubber	Steel	Wgt. (lbs)	Cat. No.'s	Wgt. (lbs)
18 x 36	GB136-U5	GB136-T5	GB136-L5	88	GB136-N8	104
24 x 36	GB236-U5	GB236-T5	GB236-L5	110	GB236-N8	126
48	GB248-U5	GB248-T5	GB248-L5	134	GB248-N8	150
60	GB260-U5	GB260-T5	GB260-L5	152	GB260-N8	168
30 x 36	GB336-U5	GB336-T5	GB336-L5	124	GB336-N8	154
48	GB348-U5	GB348-T5	GB348-L5	150	GB348-N8	180
60	GB360-U5	GB360-T5	GB360-L5	176	GB360-N8	206

### Model GC - with 3 sides

WxL (in)	5" Casters Cat. No.'s				8" Full Pneumatic	
	Urethane	Thermorubber	Steel	Wgt. (lbs)	Cat. No.'s	Wgt. (lbs)
18 x 36	GC136-U5	GC136-T5	GC136-L5	93	GC136-N8	109
24 x 36	GC236-U5	GC236-T5	GC236-L5	115	GC236-N8	131
48	GC248-U5	GC248-T5	GC248-L5	139	GC248-N8	155
60	GC260-U5	GC260-T5	GC260-L5	157	GC260-N8	173
30 x 36	GC336-U5	GC336-T5	GC336-L5	129	GC336-N8	159
48	GC348-U5	GC348-T5	GC348-L5	155	GC348-N8	185
60	GC360-U5	GC360-T5	GC360-L5	181	GC360-N8	211

### Model GD - with 4 sides

WxL (in)	5" Casters Cat. No.'s				8" Full Pneumatic	
	Urethane	Thermorubber	Steel	Wgt. (lbs)	Cat. No.'s	Wgt. (lbs)
18 x 36	GD136-U5	GD136-T5	GD136-L5	98	GD136-N8	114
24 x 36	GD236-U5	GD236-T5	GD236-L5	120	GD236-N8	136
48	GD248-U5	GD248-T5	GD248-L5	144	GD248-N8	160
60	GD260-U5	GD260-T5	GD260-L5	162	GD260-N8	178
30 x 36	GD336-U5	GD336-T5	GD336-L5	134	GD336-N8	164
48	GD348-U5	GD348-T5	GD348-L5	160	GD348-N8	190
60	GD360-U5	GD360-T5	GD360-L5	186	GD360-N8	216

## Low Profile Mesh Box Trucks (4 Sided)

**Model GL - "Box on Wheels", Lowest deck truck for frequent loading of parts or scrap**

1,200 LB CAP.\* (\*800 lb. with T5 casters)



### Options:

- 2 wheel brakes on swivel casters - **Code B5 or BN**
- Floor lock - **Code F5 or FN**
- Ergonomic handle - **Code EH**
- Solid hinged top lid with lockable hasp (no lock) - **Code TL**
- Half side drop gate - **Code DG**
- Fork lift pockets - 3" x 6" (specify center line) - **Code FP**
- Other casters (page 99) and **box heights** available

### Product Features:

- **4 sides** are 20" high flattened 13 gauge expanded mesh.
- **1-1/2" angle reinforces top edge** on 4 sides.
- All welded construction (except casters).
- Durable **12 gauge steel shelf**, 3/16" thick angle corners, and 12 gauge caster mounts for long lasting use.
- Tubular handle with smooth radius bend for comfort and uniform appearance.
- Bolt on casters, 2 swivel & 2 rigid, for easy replacement and superior cart tracking - see specifications chart.
- Overall height - 27" (31" with full pneumatic casters) - see options.

### SPECIFICATIONS

WxL (in)	5" Casters Cat. No.'s				8" Full Pneumatic	
	Urethane	Thermorubber	Steel	Wgt. (lbs)	Cat. No.'s	Wgt. (lbs)
18 x 36	GL136-U5	GL136-T5	GL136-L5	88	GL136-N8	108
24 x 36	GL236-U5	GL236-T5	GL236-L5	96	GL236-N8	116
48	GL248-U5	GL248-T5	GL248-L5	112	GL248-N8	132
60	GL260-U5	GL260-T5	GL260-L5	128	GL260-N8	148
30 x 36	GL336-U5	GL336-T5	GL336-L5	104	GL336-N8	144
48	GL348-U5	GL348-T5	GL348-L5	122	GL348-N8	162
60	GL360-U5	GL360-T5	GL360-L5	140	GL360-N8	180

## Low 3 Sided Mesh Box Trucks (1 Shelf)

**Model GZ - Limited access to one side, used as small package transporter**

1,200 LB CAP.\* (\*800 lb. with T5 casters)



### Options:

- 2 wheel brakes on swivel casters - **Code B5 or BN**
- Floor lock (centered on handle end) - **Code F5 or FN**
- Ergonomic handle - **Code EH**
- Shelf lip down (flush) - **Code FA**
- Fork lift pockets - 3" x 6" (specify center line) - **Code FP**
- Other casters (page 99) available.

### Product Features:

- **Limited access one side.**
- **3 sides** are 3' high flattened 13 gauge expanded mesh.
- All welded construction (except casters).
- Durable **12 gauge steel shelves**, 3/16" thick angle corners, and 12 gauge caster mounts for long lasting use.
- Tubular handle with smooth radius bend for comfort and uniform appearance.
- Bolt on casters, 2 swivel & 2 rigid, for easy replacement and superior cart tracking - see specifications chart.
- 1-1/2" shelf lips up for retention (see options).
- Overall height - 44" (48" with full pneumatic casters).

**4' High Sides  
Version  
model ZA  
see page 64**

### SPECIFICATIONS

WxL (in)	5" Casters Cat. No.'s				8" Full Pneumatic	
	Urethane	Thermorubber	Steel	Wgt. (lbs)	Cat. No.'s	Wgt. (lbs)
24 x 36	GZ236-U5	GZ236-T5	GZ236-L5	98	GZ236-N8	118
48	GZ248-U5	GZ248-T5	GZ248-L5	112	GZ248-N8	132
30 x 48	GZ348-U5	GZ348-T5	GZ348-L5	140	GZ348-N8	160
60	GZ360-U5	GZ360-T5	GZ360-L5	158	GZ360-N8	178