

Gas Cylinder Cabinets (4 Types)

Models CW, CH, CV & CX - Security cabinets for gas & propane cylinders



Model CW Shown

Product Features:

- Lockable mesh door(s) with slide bolt hasp (no lock).
- All welded - ready to use, meets OSHA 1910.
- 13 gauge flattened mesh sides.
- 12 gauge tops (All Models) & 12 gauge floor (Model CW only).
- 1-1/2" x 3/16" thick corner angles.
- Foot pads with pre-drilled holes.
- Powder coated safety yellow.
- Safety signage in large red letters.

Stores Cylinders For Floor Scrubbers & Other Tanks In An Upright Position.

Model CW - Vertical Propane Tanks

W x L x H (in)	Max. No. Cylinders*	Model	Wgt. (lbs)
18 x 30 x 35	2	CW130	94
30 x 30 x 35	4	CW330	128

- * Propane cylinders 12" dia. x 22-1/2" H store in vertical position.



Model CH Shown

Stores Forklift Propane Cylinders On Their Sides.

Model CH - Horizontal - 20-48 lb Cylinders

W x L x H (in)	Max. No. Cylinders	Model	Wgt. (lbs)
33 x 38 x 39	4	CH040	170
33 x 38 x 70	8	CH080	280
49 x 38 x 70	12	CH120	340
65 x 38 x 70	16	CH160	490

- Smooth 1" tube support rails for cylinder protection.



Model CV Shown

Stores Welding Gas Cylinders In Vertical Position.

Model CV - Vertical Cylinders Up To 200 lbs 5-10 & 10-20 Cylinder Units

W x L x H (in)	Max. No. Cylinders	Model	Wgt. (lbs)
33 x 38 x 70	5 - 10	CV051	204
60 x 38 x 70	10 - 20	CV102	360

- Adjustable Safety retention chains.



Model CX Shown

Combo Gas Cylinder Storage - Vertical & Horizontal Positions

Model CX - Horizontal - 20-48 lb - 8 Cylinders Vertical - 200 lb - 5-10 Cylinders

W x L x H (in)	Max. No. Cylinders	Model	Wgt. (lbs)
62 x 38 x 70	8 / 5-10	CX100	460

- Adjustable Safety retention chains.

Safety Flammable Cabinets (Cans) - 3 Door Types

Models BM, BS & BF - manual, bi fold & self close doors with double wall cabinets to contain flammable liquids in protected storage



Model BM90 Shown



Concealed Self-Close Mechanism

Model BS60 Shown



Model BF45 Shown

Product Features:

- All welded double wall 18 gauge construction with 1-1/2" insulating air space.
- 2" leakproof sill to contain leaks.
- Lockable flush mounted handle (gripper pad) with 2 keys.
- Doors have 3 point locking system and radius edges.
- **Doors are double walled, 14 gauge outside & 18 gauge inside.**
- 4" heavy duty welded hinges with brass pins.
- Twin 2" flame arrester vents.
- Adjustable leveling feet and grounding connector.
- **Powder coated yellow finish** (see options).
- Safety signage in large red letters.
- Galvanized steel shelves adjust on 2-1/2" centers.
- Meets OSHA, and NFPA code 30 & UFC 79 standards.

Three Door Types:

Model BM - 2 Doors

- Manual close doors (open to full 180°).

Model BS - 2 Doors

- Self close doors (shut, index, and latch automatically as fusible link melts under fire conditions at 165°).
- Concealed self closing mechanism.

Model BF - 1 Bi-Fold Door

- Bi fold doors (shut and latch automatically as fusible link melts under fire conditions at 165°).
- Concealed self closing mechanism.

Options:

- Red for paints and ink - **Code RP**
- Blue for corrosive liquids - **Code BP**
- Putty for laboratory setting - **Code AP**
- Gray for hazardous materials - **Code GP**
- Extra galvanized shelves - **Code GS**

Model BM - Manual Close

Capacity Gallons	Catalog No.	Size (in) W x D x H	# Shelves	Wgt. (lbs)
22	BM22	34 x 18 x 35	1	170
28	BM28	34 x 18 x 44	2	220
30	BM30	43 x 18 x 44	1	240
44	BM44	34 x 18 x 65	3	290
45	BM45	43 x 18 x 65	2	358
60	BM60	34 x 34 x 65	2	430
90	BM90	43 x 34 x 65	2	470
120	BM120	59 x 34 x 65	2	540

Model BS - Self Close

Capacity Gallons	Catalog No.	Size (in) W x D x H	# Shelves	Wgt. (lbs)
22	BS22	34 x 18 x 35	1	190
28	BS28	34 x 18 x 44	2	240
30	BS30	43 x 18 x 44	1	260
44	BS44	34 x 18 x 65	3	310
45	BS45	43 x 18 x 65	2	378
60	BS60	34 x 34 x 65	2	450
90	BS90	43 x 34 x 65	2	490

Model BF - Bi-Fold

Capacity Gallons	Catalog No.	Size (in) W x D x H	# Shelves	Wgt. (lbs)
30	BF30	43 x 18 x 44	1	250
45	BF45	43 x 18 x 65	2	368
60	BF60	34 x 34 x 65	2	440
90	BF90	43 x 34 x 65	2	480

Chemical storage maximum - Class I & II - 60 gallons, Class III - 120 gallons

Tower Safety Flammable Cabinets (Cans) - 3 Door Types

Models FM, FS & FF - manual, bi fold & self close doors with double wall cabinets to contain flammable liquids in protected storage with floor clearance



Model FM45 Shown



Concealed Self-Close Mechanism

Model FS45 Shown



Model FF45 Shown

Product Features:

- All welded double wall 18 gauge construction with 1-1/2" insulating air space.
- 4" high legs have bolt holes to secure to floor.
- Legs allow moving unit with fork lift truck.
- 2" leakproof sill to contain leaks.
- Lockable flush mounted handle (gripper pad) with 2 keys.
- Doors have 3 point locking system and radius edges.
- **Doors are double walled, 14 gauge outside & 18 gauge inside.**
- 4" heavy duty welded hinges with brass pins.
- Twin 2" flame arrester vents.
- **Powder coated yellow finish** (see options).
- Safety signage in large red letters.
- Galvanized steel shelves adjust on 2-1/2" centers.
- Meets OSHA, and NFPA code 30 & UFC 79 standards.

Three Door Types:

Model FM - 2 Doors

- Manual close doors (open to full 180°).

Model FS - 2 Doors

- Self close doors (shut, index, and latch automatically as fusible link melts under fire conditions at 165°).
- Concealed self closing mechanism.

Model FF - 1 Bi-Fold Door

- Bi fold doors (shut and latch automatically as fusible link melts under fire conditions at 165°).
- Concealed self closing mechanism.

Options:

- Red for paints and ink - **Code RP**
- Blue for corrosive liquids - **Code BP**
- Putty for laboratory setting - **Code AP**
- Gray for hazardous materials - **Code GP**
- Extra galvanized shelves - **Code GS**

Model FM - Manual Close

Capacity Gallons	Catalog No.	Size (in) W x D x H	# Shelves	Wgt. (lbs)
28	FM28	34 x 18 x 48	2	230
30	FM30	43 x 18 x 48	1	250
44	FM44	34 x 18 x 69	3	300
45	FM45	43 x 18 x 69	2	368
60	FM60	34 x 34 x 69	2	440
90	FM90	43 x 34 x 69	2	480
120	FM120	59 x 34 x 69	2	550

Model FS - Self Close

Capacity Gallons	Catalog No.	Size (in) W x D x H	# Shelves	Wgt. (lbs)
28	FS28	34 x 18 x 48	2	250
30	FS30	43 x 18 x 48	1	270
44	FS44	34 x 18 x 69	3	320
45	FS45	43 x 18 x 69	2	388
60	FS60	34 x 34 x 69	2	460
90	FS90	43 x 34 x 69	2	500

Model FF - Bi-Fold

Capacity Gallons	Catalog No.	Size (in) W x D x H	# Shelves	Wgt. (lbs)
30	FF30	43 x 18 x 48	1	260
45	FF45	43 x 18 x 69	2	378
60	FF60	34 x 34 x 69	2	450
90	FF90	43 x 34 x 69	2	490

Chemical storage maximum - Class I & II - 60 gallons, Class III - 120 gallons

Safety Flammable Cabinets - 1 Door Manual

Models BA - 1 door manual, double wall cabinet to contain flammable liquids in protected storage in single & double depth



Model BA Shown

Options:

- Red for paints and ink - **Code RP**
- Blue for corrosive liquids - **Code BP**
- Putty for laboratory setting - **Code AP**
- Gray for hazardous materials - **Code GP**
- Extra galvanized shelves - **Code GS**

Product Features:

- All welded double wall 18 gauge construction with 1-1/2" insulating air space.
- 2" leakproof sill to contain leaks.
- Lockable flush mounted handle (gripper pad) with 2 keys.
- Door has 3 point locking system and radius edges.
- **Door is double walled, 14 gauge outside & 18 gauge inside.**
- 4" heavy duty welded hinges with brass pins.
- Galvanized steel shelves, adjust on 2-1/2" centers.
- Twin 2" flame arrester vents.
- Adjustable leveling feet.
- **Powder coated yellow finish** (see options).
- Safety signage in large red letters.
- Grounding connector.
- Meets OSHA, and NFPA code 30 & UFC 79 standards.
- **Manual close door** (opens to full 180°).
- **Slim line width** - 23" • Single Depth - 18" • Double Depth - 34"

Model BA - Manual Close

Capacity Gallons	Catalog No.	Size (in) W x D x H	# Shelves	Wgt. (lbs)
12	BA12	23 x 18 x 35	1	140
18	BA18	23 x 18 x 44	2	170
24	BA24	23 x 18 x 65	3	234
30	BA30	23 x 34 x 35	1	220
40	BA40	23 x 34 x 44	2	270
60	BA60	23 x 34 x 65	3	360

Chemical storage maximum - Class I & II - 60 gallons, Class III - 120 gallons

Safety Flammable Cabinets - 1 Door Self Close

Models BJ - 1 door self close, double wall cabinet to contain flammable liquids in protected storage in single & double depth



Concealed Self-Close Mechanism

Model BJ Shown

Options:

- Red for paints and ink - **Code RP**
- Blue for corrosive liquids - **Code BP**
- Putty for laboratory setting - **Code AP**
- Gray for hazardous materials - **Code GP**
- Extra galvanized shelves - **Code GS**

Product Features:

- All welded double wall 18 gauge construction with 1-1/2" insulating air space.
- 2" leakproof sill to contain leaks.
- Lockable flush mounted handle (gripper pad) with 2 keys.
- Door has 3 point locking system and radius edges.
- **Door is double walled, 14 gauge outside & 18 gauge inside.**
- 4" heavy duty welded hinges with brass pins.
- Galvanized steel shelves, adjust on 2-1/2" centers.
- Twin 2" flame arrester vents.
- Adjustable leveling feet.
- **Powder coated yellow finish** (see options).
- Safety signage in large red letters.
- Grounding connector.
- Meets OSHA, and NFPA code 30 & UFC 79 standards.
- **Self close door** (shuts and latches automatically as fusible link melts under fire conditions at 165°). • Concealed self closing mechanism.
- **Slim line width** - 23" • Single Depth - 18" • Double Depth - 34"

Model BJ - Self Close

Capacity Gallons	Catalog No.	Size (in) W x D x H	# Shelves	Wgt. (lbs)
12	BJ12	23 x 18 x 35	1	148
18	BJ18	23 x 18 x 44	2	178
24	BJ24	23 x 18 x 65	3	242
30	BJ30	23 x 34 x 35	1	228
40	BJ40	23 x 34 x 44	2	278
60	BJ60	23 x 34 x 65	3	368

Chemical storage maximum - Class I & II - 60 gallons, Class III - 120 gallons

Safety Flammable Cabinets - Under Counter - 35" High

Models BT - manual door(s) with double wall cabinets to store flammable liquids under counter



Model BT22 Shown

Options:

- Red for paints and ink - **Code RP**
- Blue for corrosive liquids - **Code BP**
- Putty for laboratory setting - **Code AP**
- Gray for hazardous materials - **Code GP**
- Extra galvanized shelves - **Code GS**

Product Features:

- All welded double wall 18 gauge construction with 1-1/2" insulating air space.
- 2" leakproof sill to contain leaks.
- Lockable flush mounted handle (gripper pad) with 2 keys.
- Door(s) have 3 point locking system and radius edges.
- **Door(s) are double walled, 14 gauge outside & 18 gauge inside.**
- 4" heavy duty welded hinges with brass pins.
- Twin 2" flame arrester vents.
- Galvanized steel shelves, adjust on 2-1/2" centers.
- Adjustable leveling feet.
- **Powder coated yellow finish** (see options).
- Safety signage in large red letters.
- Grounding connector.
- Meets OSHA, and NFPA code 30
- **Manual close door(s)** (open to full 180°).

Model BT - Manual Close - 35" High

Capacity Gallons	Catalog No.	Size (in) W x D x H	# Shelves	# Doors	Wgt. (lbs)
12	BT12	23 x 18 x 35	1	1	140
22	BT22	34 x 18 x 35	1	2	170
30	BT30	23 x 34 x 35	1	1	220

Chemical storage maximum - Class I & II - 60 gallons, Class III - 120 gallons

Safety Flammable Cabinets - 55 Gallon Drum(s)

Models BV & BW - 2 door manual and self close, double wall cabinet to contain flammable 30 to 55 gallon drum(s) in protected storage



Model BV Shown

Options:

- Red for paints and ink - **Code RP**
- Blue for corrosive liquids - **Code BP**
- Putty for laboratory setting - **Code AP**
- Gray for hazardous materials - **Code GP**
- Drum roller for BV1 & BW1 - **Code DA**
- Drum roller for BV2 - **Code DB**
- Drum ramp (24" x 28") - **Code DR**

Product Features:

- All welded double wall 18 gauge construction with 1-1/2" insulating air space.
- 2" leakproof sill to contain leaks.
- Lockable flush mounted handle (gripper pad) with 2 keys.
- Doors have 3 point locking system and radius edges.
- **Doors are double walled, 14 gauge outside & 18 gauge inside.**
- 4" heavy duty welded hinges with brass pins.
- Twin 2" flame arrester vents.
- Galvanized steel 1/2 depth shelf adjusts on 2-1/2" centers.
- Adjustable leveling feet.
- **Powder coated yellow finish** (see options).
- Safety signage in large red letters.
- Grounding connector. • Meets OSHA, and NFPA code 30 & UFC 79 standards.

Two Door Types:

Model BV - 2 Doors • **Manual close doors** (open to full 180°).

Model BW - 2 Doors • **Self close doors** (shut, index, and latch automatically as fusible link melts under fire conditions at 165°).
• Concealed self closing mechanism.

Model BV - Manual Close

No. Drums	Catalog No.	Size (in) W x D x H	Wgt. (lbs)
1	BV1	34 x 34 x 65	366
2	BV2	59 x 34 x 65	544

Model BW - Self Close

No. Drums	Catalog No.	Size (in) W x D x H	Wgt. (lbs)
1	BW1	34 x 34 x 65	386

Chemical storage maximum - Class I & II - 60 gallons, Class III - 120 gallons

Safety Flammable Cabinets (paint & ink cans) - 3 Door Types


Models BP, BN & BH - manual, self close & bi fold doors with double wall cabinets to contain paint & ink cans in protected storage



Model BP48 Shown



Concealed Self-Close Mechanism



Model BP48 Shown

Product Features:

- All welded double wall 18 gauge construction with 1-1/2" insulating air space.
- 2" leakproof sill to contain leaks.
- Lockable flush mounted handle (gripper pad) with 2 keys.
- Doors have 3 point locking system and radius edges.
- **Doors are double walled, 14 gauge outside & 18 gauge inside.**
- 4" heavy duty welded hinges with brass pins.
- Twin 2" flame arrester vents.
- Adjustable leveling feet.
- **Powder coated red finish.**
- Safety signage in large red letters.
- Galvanized steel shelves adjust on 2-1/2" centers.
- Grounding connector.
- Meets OSHA, and NFPA code 30 & UFC 79 standards.

Three Door Types:

Model BP - 1 or 2 Doors

- **Manual close doors** (open to full 180°).

Model BN - 1 or 2 Doors

- **Self close doors** (shut, index (2 door model only), and latch automatically as fusible link melts under fire conditions at 165°).
- Concealed self closing mechanism.

Model BH - 1 Bi-Fold Door

- **Bi-fold doors** (shut and latch automatically as fusible link melts under fire conditions at 165°).
- Concealed self closing mechanism.

Option:

- Extra galvanized shelves - **Code GS**

Model BP - Manual Close

Capacity Gallons	Catalog No.	Size (in) W x D x H	# Shelves	# Doors	Wgt. (lbs)
18	BP18	23 x 18 x 35	2	1	150
24	BP24	23 x 18 x 44	3	1	180
36	BP36	23 x 18 x 65	5	1	240
48	BP48	43 x 18 x 44	3	2	268
72	BP72	43 x 18 x 65	5	2	400
96	BP96	34 x 34 x 65	5	2	472
120	BP120	43 x 34 x 65	5	2	500

Model BN - Self Close

Capacity Gallons	Catalog No.	Size (in) W x D x H	# Shelves	# Doors	Wgt. (lbs)
18	BN18	23 x 18 x 35	2	1	160
24	BN24	23 x 18 x 44	3	1	190
36	BN36	23 x 18 x 65	5	1	250
48	BN48	43 x 18 x 44	3	2	288
72	BN72	43 x 18 x 65	5	2	420
96	BN96	34 x 34 x 65	5	2	492
120	BN120	43 x 34 x 65	5	2	520

Model BH - Bi-Fold

Capacity Gallons	Catalog No.	Size (in) W x D x H	# Shelves	# Doors	Wgt. (lbs)
48	BH48	43 x 18 x 44	3	1	278
72	BH72	43 x 18 x 65	5	1	410
96	BH96	34 x 34 x 65	5	1	482
120	BH120	43 x 34 x 65	5	1	510

Chemical storage maximum - Class I & II - 60 gallons, Class III - 120 gallons

Safety Flammable Cabinets (corrosive) - 3 Door Types

Models CL, CK & CJ - manual, bi fold & self close doors with double wall cabinets to contain chemicals in protected storage



Model CL30 Shown



Concealed Self-Close Mechanism



Model CL30 Shown

Product Features:

- All welded double wall 18 gauge construction with 1-1/2" insulating air space.
- 2" leakproof sill to contain leaks.
- Lockable flush mounted handle (gripper pad) with 2 keys.
- Doors have 3 point locking system and radius edges.
- **Doors are double walled, 14 gauge outside & 18 gauge inside.**
- 4" heavy duty welded hinges with brass pins.
- Twin 2" flame arrester vents.
- Adjustable leveling feet.
- **Powder coated blue finish.**
- Safety signage in large red letters.
- Galvanized steel shelves adjust on 2-1/2" centers.
- **Polyethylene tray liner for shelves & sill** (14-1/4" x 39-3/4" x 1-1/2")
- Grounding connector.
- Meets OSHA, and NFPA code 30 & UFC 79 standards.

Three Door Types:

Model CL - 2 Doors

- **Manual close doors** (open to full 180°).

Model CK - 2 Doors

- **Self close doors** (shut, index, and latch automatically as fusible link melts under fire conditions at 165°).
- Concealed self closing mechanism.

Model CJ - 1 Bi-Fold Door

- **Bi-fold doors** (shut and latch automatically as fusible link melts under fire conditions at 165°).
- Concealed self closing mechanism.

Options:

- Extra galvanized shelves - **Code GS**
- Powder coat galvanized shelf - **Code PC**
- Extra Polyethylene tray liner for shelves & sill (14-1/4" x 39-3/4" x 1-1/2") - **Code PL** (specify quantity).

Model CL - Manual Close

Capacity Gallons	Catalog No.	Size (in) W x D x H	# Shelves	# Tray Liners	Wgt. (lbs)
30	CL30	43 x 18 x 44	1	2	248
45	CL45	43 x 18 x 65	2	3	370

Model CK - Self Close

Capacity Gallons	Catalog No.	Size (in) W x D x H	# Shelves	# Tray Liners	Wgt. (lbs)
30	CK30	43 x 18 x 44	1	2	268
45	CK45	43 x 18 x 65	2	3	390

Model CJ- Bi-Fold

Capacity Gallons	Catalog No.	Size (in) W x D x H	# Shelves	# Tray Liners	Wgt. (lbs)
30	CJ30	43 x 18 x 44	1	2	258
45	CJ45	43 x 18 x 65	2	3	380

Chemical storage maximum - Class I & II - 60 gallons, Class III - 120 gallons

Fire Resistant Double Walled (Manual Close Doors) Security Cabinets

Models BR - Closed storage cabinet to secure materials or valuables



Product Features:

- All welded double wall 18 gauge construction with 1-1/2" insulating air space.
- Lockable flush handle with 2 sets of keys.
- **Doors are double walled, 14 gauge outside & 18 gauge inside.**
- Doors have 3 point locking system and radius edges.
- 4" heavy duty welded hinges with brass pins.
- Adjustable leveling feet.
- **Powder coated gray finish** (see options).
- Steel shelves adjust on 2-1/2" centers.
- **Manual close doors** (open to full 180°).

Model BR - Manual Close

Capacity (cu ft)	Catalog No.	Size (in) W x D x H	# Shelves	# Doors	Wgt. (lbs)
35" HIGH					
8	BR8	23 x 18 x 35	2	1	150
12	BR12	34 x 18 x 35	2	2	180
16	BR16	23 x 34 x 35	2	1	210
44" HIGH					
10	BR10	23 x 18 x 44	3	1	180
14	BR14	34 x 18 x 44	3	2	230
19	BR19	43 x 18 x 44	3	2	268
20	BR20	23 x 34 x 44	3	1	290
65" HIGH					
15	BR15	23 x 18 x 65	4	1	244
23	BR23	34 x 18 x 65	4	2	300
29	BR29	43 x 18 x 65	4	2	386
30	BR30	23 x 34 x 65	4	1	370
43	BR43	34 x 34 x 65	4	2	458
55	BR55	43 x 34 x 65	4	2	500
75	BR75	59 x 34 x 65	4	2	584

Options:

- Putty Powder Coat Finish - **Code AP**
- Extra shelves - **Code PS**

Fire Resistant Double Walled (Self Closing Bi-Fold Doors) Security Cabinets

Models BX - Closed storage cabinet to secure materials or valuables



Product Features:

- All welded double wall 18 gauge construction with 1-1/2" insulating air space.
- Lockable flush handle with 2 sets of keys.
- **Doors are double walled, 14 gauge outside & 18 gauge inside.**
- Doors have 3 point locking system and radius edges.
- 4" heavy duty welded hinges with brass pins.
- Adjustable leveling feet.
- **Powder coated gray finish** (see options).
- Steel shelves adjust on 2-1/2" centers.
- **Self closing bi-fold doors.**

Model BX - Bi-Fold

Capacity (cu ft)	Catalog No.	Size (in) W x D x H	# Shelves	Wgt. (lbs)
19	BX19	43 x 18 x 44	3	278
29	BX29	43 x 18 x 65	4	396
43	BX43	34 x 34 x 65	4	468
55	BX55	43 x 34 x 65	4	510

Options:

- Putty Powder Coat Finish - **Code AP**
- Extra shelves - **Code PS**

Heavy Duty Mesh & Solid Security Cabinets

Models MH & MF - Closed storage cabinet to secure materials or valuables

3,000 LB CAPACITY



Options:

- All sides 5' high - **Code SF**
- Shelf lips up - **Code GA**
- Fork lift pockets - 3" x 6" (specify center line) - **Code FP**
- Extra shelves - **Code AT**

Product Features:

- All welded construction (except casters).
- **Adjustable middle shelf** is standard - adjustable on 3-1/2" centers - see options for additional shelves.
- Durable **12 gauge steel shelves**, and 3/16" thick angle corners.
- Shelf lips down (flush) - see options.
- **Powder coated gray finish** (see options).
- Overall height - 54".

Other Specifications:

Model MH:

- **14 gauge solid sides 4' high with solid 14 gauge top.**
- 2 solid doors on one side with lockable hasp (padlock not included).

Model MF:

- **Sides and back flattened 13 gauge expanded mesh 4' high (also top cover).**
- 2 flattened 13 gauge expanded mesh doors on one side with lockable hasp (padlock not included).

Model MH - Solid

WxL (in)	1 Adj. Shelf	
	Cat. No.	Wgt.
24 x 48	MH248	446
60	MH260	516
30 x 48	MH348	504
60	MH360	574
36 x 48	MH448	560
60	MH460	636
72	MH472	704

Model MF - Mesh

WxL (in)	1 Adj. Shelf	
	Cat. No.	Wgt.
24 x 48	MF248	296
60	MF260	338
30 x 48	MF348	332
60	MF360	382
36 x 48	MF448	368
60	MF460	424
72	MF472	472

Narrow Security Cabinets (3 Shelves)

Models MG & ME - Heavy duty lockable cabinet to secure small valuables

2,000 LB CAPACITY



Options:

- Shelf lips up - **Code GA**
- All sides 5' high - **Code SF**

Product Features:

- All welded construction.
- 3 durable **12 gauge steel shelves**, 3/16" thick angle corners, and 12 gauge feet.
- Shelf lips down (flush) - see options.
- **Powder coated gray finish** (see options).
- Clearance between shelves - 15".
- Overall height - 54".

Other Specifications:

Model MG:

- **4 sides and top are 14 gauge solid panels.**
- 14 gauge solid door on one side with lockable hasp (padlock not included).

Model ME:

- **Sides flattened 13 gauge expanded mesh 4' high (also top cover), with 14 gauge solid back panel.**
- 1 flattened 13 gauge expanded mesh door on one side with lockable hasp (padlock not included).

Model MG - Solid

WxL (in)	Cat. No.	Wgt. (lbs)
24 x 24	MG224	240

Model ME - Mesh

WxL (in)	Cat. No.	Wgt. (lbs)
24 x 24	ME224	180

Note: Doors add 2" to width

Heavy Duty Welded Cabinets - Solid Doors

Models DL - Durable closed storage cabinet to secure materials and valuables

1,000 LB CAPACITY PER SHELF



Model DL Shown

Options:

- Extra Shelf - Code RT

Product Features:

- All welded 14 gauge construction.
- Lockable doors, with lever handle, 3 point locking system. Doors open 180°
- Includes four 14 gauge shelves with 1-1/2" lips.
- Shelves adjust on 2-1/2" centers.
- Overall height - 74"
- Powder coated gray finish.

Model DL - Solid Doors

WxL (in)	Cat. No.	Wgt. (lbs)
18 x 36	DL136	312
48	DL148	384
60	DL160	458
24 x 36	DL236	362
48	DL248	442
60	DL260	496

Heavy Duty Welded Cabinets - Clearview Doors

Model DJ - Durable closed storage, with clearview of contents, to secure materials and valuables

1,000 LB CAPACITY PER SHELF



Model DJ Shown

Options:

- Extra Shelf - Code RT

Product Features:

- All welded 14 gauge construction.
- Clearview door panels are 13 gauge expanded mesh.
- Lockable doors, with lever handle, 3 point locking system. Doors open 180°
- Includes four 14 gauge shelves with 1-1/2" lips.
- Shelves adjust on 2-1/2" centers.
- Overall height - 74"
- Powder coated gray finish.

Model DJ - Clearview Doors

WxL (in)	Cat. No.	Wgt. (lbs)
18 x 36	DJ136	300
48	DJ148	358
60	DJ160	426
24 x 36	DJ236	342
48	DJ248	416
60	DJ260	464

Extra Heavy Duty Welded Cabinets - Solid Doors

Models DS - Durable closed storage cabinet to secure materials and valuables
1,800 LB CAPACITY PER SHELF



Model DS Shown

Options:

- Extra Shelf - **Code ET**

Product Features:

- **All welded 14 gauge construction.**
- Lockable doors, with lever handle, 3 point locking system. Doors open 180°
- Includes four 14 gauge reinforced shelves with 2" lips, corners welded, and return bends for extra strength.
- Shelves adjust on 2-1/2" centers.
- 4" high legs have bolt holes to secure to floor.
- Legs allow moving unit with fork lift truck.
- Overall height - 78"
- Powder coated gray finish.

Model DS - Solid Doors

WxL (in)	Cat. No.	Wgt. (lbs)
18 x 36	DS136	332
48	DS148	404
60	DS160	478
24 x 36	DS236	382
48	DS248	462
60	DS260	516

Extra Heavy Duty Welded Cabinets - Clearview Doors

Models DM - Durable closed storage, with clearview of contents, to secure materials and valuables
1,800 LB CAPACITY PER SHELF



Model DM Shown

Options:

- Extra Shelf - **Code ET**

Product Features:

- **All welded 14 gauge construction.**
- Clearview door panels are 13 gauge expanded mesh.
- Lockable doors, with lever handle, 3 point locking system. Doors open 180°.
- Includes four 14 gauge reinforced shelves with 2" lips, corners welded, and return bends for extra strength.
- Shelves adjust on 2-1/2" centers.
- 4" high legs have bolt holes to secure to floor.
- Legs allow moving unit with fork lift truck.
- Overall height - 78"
- Powder coated gray finish.

Model DM - Clearview Doors

WxL (in)	Cat. No.	Wgt. (lbs)
18 x 36	DM136	320
48	DM148	378
60	DM160	446
24 x 36	DM236	362
48	DM248	436
60	DM260	484