

1,200 lb Mobile Tables (2 shelves)

Model LB - Heavy duty transporter between work areas

1,200 LB CAP.* (*800 lb with T5 casters)



Options:

- 2 wheel brakes on swivel casters - **Code B5**
- All swivel casters - **Code AS**
- Floor lock - **Code F5**
- Both shelves lips up for retention - **Code GA**
- Vinyl matting on top shelf - **Code VM**
- Tubular push handle - **Code PH**
- Larger casters (page 99) and other top shelf heights available.

Product Features:

- All welded construction (except casters).
- Durable **12 gauge steel shelves**, 3/16" thick angle corners, and 12 gauge caster mounts for long lasting use.
- Bolt on casters, 2 swivel & 2 rigid, for easy replacement and superior cart tracking - see specifications chart.
- 1-1/2" shelf lips down (flush) on both shelves (see options).
- Clearance between shelves - 20".
- Overall height - 30" (see options).

SPECIFICATIONS

WxL (in)	5" Casters Cat. No.'s			Wgt. (lbs)
	Urethane	Thermorubber	Steel	
18 x 24	LB124-U5	LB124-T5	LB124-L5	64
	30 LB130-U5	LB130-T5	LB130-L5	70
	36 LB136-U5	LB136-T5	LB136-L5	76
	48 LB148-U5	LB148-T5	LB148-L5	92
24 x 24	LB224-U5	LB224-T5	LB224-L5	74
	30 LB230-U5	LB230-T5	LB230-L5	84
	36 LB236-U5	LB236-T5	LB236-L5	94
	42 LB242-U5	LB242-T5	LB242-L5	104
48	LB248-U5	LB248-T5	LB248-L5	114
	60 LB260-U5	LB260-T5	LB260-L5	136
	72 LB272-U5	LB272-T5	LB272-L5	154
	30 x 36	LB336-U5	LB336-T5	LB336-L5
48 LB348-U5		LB348-T5	LB348-L5	134
60 LB360-U5		LB360-T5	LB360-L5	158
72 LB372-U5		LB372-T5	LB372-L5	182
36 x 48	LB448-U5	LB448-T5	LB448-L5	154
	60 LB460-U5	LB460-T5	LB460-L5	182
72	LB472-U5	LB472-T5	LB472-L5	210

1,200 lb Mobile Tables (Open bottom frame)

Model LV - Heavy duty transporter between work areas

1,200 LB CAP.* (*800 lb with T5 casters)



Options:

- 2 wheel brakes on swivel casters - **Code B5**
- All swivel casters - **Code AS**
- Floor lock - **Code F5**
- Top shelf lips up for retention - **Code GT**
- Vinyl matting on top shelf - **Code VM**
- Tubular push handle - **Code PH**
- Larger casters (page 99) and other top shelf heights available.

Product Features:

- All welded construction (except casters).
- Durable **12 gauge steel shelf**, 3/16" thick angle corners & lower frame, and 12 gauge caster mounts.
- Bolt on casters, 2 swivel & 2 rigid, for easy replacement and superior cart tracking - see specifications chart.
- 1-1/2" top shelf lips down (flush) - see options.
- Overall height - 30" (see options).

SPECIFICATIONS

WxL (in)	5" Casters Cat. No.'s			Wgt. (lbs)
	Urethane	Thermorubber	Steel	
18 x 24	LV124-U5	LV124-T5	LV124-L5	62
	30 LV130-U5	LV130-T5	LV130-L5	64
	36 LV136-U5	LV136-T5	LV136-L5	72
	48 LV148-U5	LV148-T5	LV148-L5	86
24 x 24	LV224-U5	LV224-T5	LV224-L5	70
	30 LV230-U5	LV230-T5	LV230-L5	78
	36 LV236-U5	LV236-T5	LV236-L5	86
	42 LV242-U5	LV242-T5	LV242-L5	96
48	LV248-U5	LV248-T5	LV248-L5	106
	60 LV260-U5	LV260-T5	LV260-L5	126
	72 LV272-U5	LV272-T5	LV272-L5	152
	30 x 36	LV336-U5	LV336-T5	LV336-L5
48 LV348-U5		LV348-T5	LV348-L5	126
60 LV360-U5		LV360-T5	LV360-L5	150
72 LV372-U5		LV372-T5	LV372-L5	172
36 x 48	LV448-U5	LV448-T5	LV448-L5	146
	60 LV460-U5	LV460-T5	LV460-L5	172
72	LV472-U5	LV472-T5	LV472-L5	196

Vibration Reduction Mobile Tables (Pneumatic Casters)

Model LA - Heavy duty irregular surface transporter between work areas

1,200 LB CAPACITY



Options:

- 2 wheel brakes on swivel casters - **Code BN**
- All swivel casters - **Code AS**
- Floor lock - **Code FN**
- Both shelves lips up for retention - **Code GA**
- Vinyl matting on top shelf - **Code VM**
- Tubular push handle - **Code PH**
- Other top shelf heights available.

Product Features:

- All welded construction (except casters).
- Durable **12 gauge steel shelves**, 3/16" thick angle corners, and 12 gauge caster mounts for long lasting use.
- Bolt on casters, 2 swivel & 2 rigid, for easy replacement and superior cart tracking - **pneumatic casters**.
- 1-1/2" shelf lips down (flush) on both shelves (see options).
- Clearance between shelves - 20".
- Overall height - 34".

SPECIFICATIONS

WxL (in)	8" Pneumatic Casters		
	Semi Cat. No.	Full Cat. No.	Wgt.(lbs)
24 x 30	LA230-Z8	LA230-N8	104
36	LA236-Z8	LA236-N8	114
42	LA242-Z8	LA242-N8	124
48	LA248-Z8	LA248-N8	134
60	LA260-Z8	LA260-N8	156
72	LA272-Z8	LA272-N8	174
30 x 36	LA336-Z8	LA336-N8	130
48	LA348-Z8	LA348-N8	154
60	LA360-Z8	LA360-N8	178
72	LA372-Z8	LA372-N8	202
36 x 48	LA448-Z8	LA448-N8	174
60	LA460-Z8	LA460-N8	202
72	LA472-Z8	LA472-N8	230

Mobile Stakes Tables (2 Shelves)

Model EY - Heavy duty transporter with corner retainers

1,200 LB CAP.* (*800 lb. with T5 casters)



Options:

- 2 wheel brakes on swivel casters - **Code B5**
- All swivel casters - **Code AS**
- Floor lock - **Code F5**
- Both shelves lips up for retention - **Code GA**
- Vinyl matting on top shelf - **Code VM**
- Tubular push handle - **Code PH**
- Larger casters (page 99) and other top shelf heights available.

Product Features:

- All welded construction (except casters).
- Durable **12 gauge steel shelves**, 3/16" thick angle corners, and 12 gauge caster mounts for long lasting use.
- Bolt on casters, 2 swivel & 2 rigid, for easy replacement.
- 1-1/2" shelf lips down (flush) on both shelves (see options).
- Stake angles extend 18" above top deck.
- Clearance between shelves - 20".
- Top shelf height - 30" (see options).

SPECIFICATIONS

WxL (in)	5" Casters Cat. No.'s			Wgt. (lbs)
	Urethane	Thermorubber	Steel	
18 x 24	EY124-U5	EY124-T5	EY124-L5	72
30	EY130-U5	EY130-T5	EY130-L5	78
36	EY136-U5	EY136-T5	EY136-L5	84
48	EY148-U5	EY148-T5	EY148-L5	100
24 x 24	EY224-U5	EY224-T5	EY224-L5	82
30	EY230-U5	EY230-T5	EY230-L5	92
36	EY236-U5	EY236-T5	EY236-L5	102
42	EY242-U5	EY242-T5	EY242-L5	112
48	EY248-U5	EY248-T5	EY248-L5	122
60	EY260-U5	EY260-T5	EY260-L5	144
72	EY272-U5	EY272-T5	EY272-L5	166
30 x 36	EY336-U5	EY336-T5	EY336-L5	118
48	EY348-U5	EY348-T5	EY348-L5	142
60	EY360-U5	EY360-T5	EY360-L5	166
72	EY372-U5	EY372-T5	EY372-L5	190
36 x 48	EY448-U5	EY448-T5	EY448-L5	172
60	EY460-U5	EY460-T5	EY460-L5	190
72	EY472-U5	EY472-T5	EY472-L5	218

2,000 lb Reinforced Mobile Tables (2 Shelves)

Model LX - Extra heavy duty transporter between work areas

2,000 LB CAPACITY



Options:

- 2 wheel brakes on swivel casters - **Code B6**
- All swivel casters - **Code AS**
- Floor lock - **Code F6**
- Both shelves lips up for retention - **Code GA**
- Push handle - **Code PH**
- Vinyl matting on top shelf - **Code VM**
- 8" casters (page 99) and other top shelf heights available.

Product Features:

- All welded construction (except casters).
- Durable **12 gauge steel shelves with under bracing**, 3/16" thick angle corners, and 12 gauge caster mounts for long lasting use.
- Bolt on casters, 2 swivel & 2 rigid, for easy replacement and superior cart tracking - see specifications chart.
- 1-1/2" shelf lips down (flush) on both shelves (see options).
- Clearance between shelves - 20".
- Overall height - 31" (see options).

SPECIFICATIONS

WxL (in)	6" Casters Cat. No.'s			Wgt. (lbs)
	Phenolic	Rubber	Urethane	
24 x 30	LX230-P6	LX230-R6	LX230-U6	112
36	LX236-P6	LX236-R6	LX236-U6	126
42	LX242-P6	LX242-R6	LX242-U6	140
48	LX248-P6	LX248-R6	LX248-U6	154
60	LX260-P6	LX260-R6	LX260-U6	182
72	LX272-P6	LX272-R6	LX272-U6	208
30 x 36	LX336-P6	LX336-R6	LX336-U6	142
48	LX348-P6	LX348-R6	LX348-U6	174
60	LX360-P6	LX360-R6	LX360-U6	204
72	LX372-P6	LX372-R6	LX372-U6	236
36 x 48	LX448-P6	LX448-R6	LX448-U6	194
60	LX460-P6	LX460-R6	LX460-U6	228
72	LX472-P6	LX472-R6	LX472-U6	264

4,000 lb Reinforced Mobile Tables (2 Shelves)

Model LW - Super heavy duty transporter between work areas

4,000 LB CAPACITY



Options:

- 2 wheel brakes on swivel casters - **Code B8**
- All swivel casters - **Code AS**
- Floor lock - **Code F8**
- Both shelves lips up for retention - **Code GA**
- Vinyl matting on top shelf - **Code VM**
- Push handle - **Code PH**
- Other top shelf heights available.

Product Features:

- All welded construction (except casters).
- Durable **12 gauge steel shelves with extra under bracing**, 3/16" thick angle corners, and 12 gauge caster mounts for long lasting use.
- Bolt on casters, 2 swivel & 2 rigid, for easy replacement and superior cart tracking - **8" Phenolic casters**.
- 1-1/2" shelf lips down (flush) on both shelves (see options).
- Clearance between shelves - 20".
- Overall height - 33".

SPECIFICATIONS

WxL (in)	8" Casters Cat. No.'s	Wgt. (lbs)
	Phenolic	
24 x 30	LW230-P8	144
36	LW236-P8	162
42	LW242-P8	180
48	LW248-P8	196
60	LW260-P8	230
72	LW272-P8	296
30 x 36	LW336-P8	180
48	LW348-P8	218
60	LW360-P8	256
72	LW372-P8	296
36 x 48	LW448-P8	242
60	LW460-P8	284
72	LW472-P8	326

1,200 lb Mobile Tables (3 Shelves)

Model LC - Heavy duty transporter between work areas

1,200 LB CAP.* (*800 lb. with T5 casters)



Options:

- 2 wheel brakes on swivel casters - **Code B5 or BN**
- All swivel casters - **Code AS**
- Floor lock - **Code F5 or FN**
- All shelves lips up for retention - **Code GA**
- Tubular push handle - **Code PH**
- Vinyl matting on top shelf - **Code VM**
- Larger casters (page 99) and other top shelf heights available.

Product Features:

- All welded construction (except casters).
- Durable **12 gauge steel shelves**, 3/16" thick angle corners, and 12 gauge caster mounts for long lasting use.
- Bolt on casters, 2 swivel & 2 rigid - see specifications chart.
- 1-1/2" shelf lips down (flush) on all shelves (see options).
- Clearance between shelves - 9".
- Overall height - 30" (34" with full pneumatic casters).

SPECIFICATIONS

WxL (in)	5" Casters Cat. No.'s				8" Full Pneumatic	
	Urethane	Thermorubber	Steel	Wgt. (lbs)	Cat. No.'s	Wgt. (lbs)
18 x 30	LC130-U5	LC130-T5	LC130-L5	92	LC130-N8	112
	36	LC136-U5	LC136-T5	100	LC136-N8	120
	48	LC148-U5	LC148-T5	124	LC148-N8	144
24 x 30	LC230-U5	LC230-T5	LC230-L5	112	LC230-N8	132
	36	LC236-U5	LC236-T5	126	LC236-N8	146
	42	LC242-U5	LC242-T5	142	LC242-N8	162
48	LC248-U5	LC248-T5	LC248-L5	156	LC248-N8	176
	60	LC260-U5	LC260-T5	182	LC260-N8	202
	72	LC272-U5	LC272-T5	210	LC272-N8	230
30 x 36	LC336-U5	LC336-T5	LC336-L5	150	LC336-N8	170
	48	LC348-U5	LC348-T5	186	LC348-N8	206
	60	LC360-U5	LC360-T5	216	LC360-N8	236
72	LC372-U5	LC372-T5	LC372-L5	252	LC372-N8	272
	36 x 48	LC448-U5	LC448-T5	214	LC448-N8	234
	60	LC460-U5	LC460-T5	250	LC460-N8	270
72	LC472-U5	LC472-T5	292	LC472-N8	312	

2,000 lb Reinforced Mobile Tables (3 Shelves)

Model LD - Extra heavy duty transporter between work areas

2,000 LB CAPACITY



Options:

- 2 wheel brakes on swivel casters - **Code B6**
- All swivel casters - **Code AS**
- Floor lock - **Code F6**
- All shelves lips up for retention - **Code GA**
- Push handle - **Code PH**
- Vinyl matting on top shelf - **Code VM**
- 8" casters (page 99) and other top shelf heights available.

Product Features:

- All welded construction (except casters).
- Durable **12 gauge steel shelves with under bracing**, 3/16" thick angle corners, and 12 gauge caster mounts for long lasting use.
- Bolt on casters, 2 swivel & 2 rigid - see specifications chart.
- 1-1/2" shelf lips down (flush) on all shelves (see options).
- Clearance between shelves - 9".
- Overall height - 31" (see options).

SPECIFICATIONS

WxL (in)	6" Casters Cat. No.'s			Wgt. (lbs)
	Phenolic	Rubber	Urethane	
24 x 30	LD230-P6	LD230-R6	LD230-U6	140
	36	LD236-P6	LD236-U6	156
	42	LD242-P6	LD242-U6	172
48	LD248-P6	LD248-R6	LD248-U6	190
	60	LD260-P6	LD260-U6	240
	72	LD272-P6	LD272-U6	280
30 x 36	LD336-P6	LD336-R6	LD336-U6	180
	48	LD348-P6	LD348-U6	220
	60	LD360-P6	LD360-U6	268
72	LD372-P6	LD372-R6	LD372-U6	306
	36 x 48	LD448-P6	LD448-U6	244
	60	LD460-P6	LD460-U6	310
72	LD472-P6	LD472-R6	LD472-U6	362

4,000 lb Reinforced Mobile Tables (3 Shelves)

Model LE - Super heavy duty transporter between work areas

4,000 LB CAPACITY



Options:

- 2 wheel brakes on swivel casters - **Code B8**
- All swivel casters - **Code AS**
- Floor lock - **Code F8**
- All shelves lips up for retention - **Code GA**
- Push handle - **Code PH**
- Vinyl matting on top shelf - **Code VM**
- Other top shelf heights available.

Product Features:

- All welded construction (except casters).
- Durable **12 gauge steel shelves with extra under bracing**, 3/16" thick angle corners, and 12 gauge caster mounts for long lasting use.
- Bolt on casters, 2 swivel & 2 rigid, for easy replacement and superior tracking - **8" Phenolic casters**.
- 1-1/2" shelf lips down (flush) on all shelves (see options).
- Clearance between shelves - 9".
- Overall height - 33".

SPECIFICATIONS

WxL (in)	8" Casters Cat. No.'s		Wgt. (lbs)
	Phenolic	Steel	
24 x 30	LE230-P8		162
36	LE236-P8		182
42	LE242-P8		200
48	LE248-P8		216
60	LE260-P8		250
72	LE272-P8		316
30 x 36	LE336-P8		200
48	LE348-P8		238
60	LE360-P8		276
72	LE372-P8		316
36 x 48	LE448-P8		262
60	LE460-P8		304
72	LE472-P8		346

7,000 lb Mill Duty Mobile Tables (2 shelves)

Model LM - Mill duty steel sheet and die transporter

7,000 LB CAPACITY



Options:

- 2 wheel brakes on swivel casters - **Code BM**
- All swivel casters - **Code AS**
- Floor lock - **Code ML**
- 6 caster option available (2 rigid in middle & 4 swivels on ends).
- Other top shelf heights available.

Product Features:

- Durable **12 gauge steel shelves super reinforced with channel underbracing and gusseted 3" angle corners 3/16" thick, 8"x 2" (1/4" thick) tubular caster mounts**.
- All welded construction (except casters).
- Bolt on mill duty casters, 8" x 2-1/2," in super heavy rig with roller bearings and grease zerks, 2 swivel & 2 rigid.
- Shelf lips down (flush) for easy load and unload.
- Tubular handle with smooth radius bend.
- Clearance between shelves - 17".
- **Overall height - 30"** (see options).

SPECIFICATIONS

WxL (in)	8" Casters Cat. No.'s		Wgt. (lbs)
	Phenolic	Steel	
30 x 60	LM360-MP	LM360-MS	380
36 x 72	LM472-MP	LM472-MS	400

5th Wheel Steel, Wood, Plastic Deck Wagon Trucks

Models TV, TO, TZ, TX - Heavy duty wagon transporters

3,000 LB CAP.* (*2,000 lb with 12" pneumatic casters)



Model TV With Pneumatic Wheels Shown

3,000 LB CAP.* (*2,000 lb with 12" pneumatic casters)



Model TO With Mold On Rubber Wheels Shown

3,000 LB CAP.* (*2,000 lb with 12" pneumatic casters)



Model TZ With Pneumatic Wheels Shown

3,000 LB CAP.* (*2,000 lb with 12" pneumatic casters)



Model TX With Pneumatic Wheels Shown

Product Features:

- All welded frame.
- **1-1/4" tubular handle** with 1" "T" handle and rubber grips.
- 3/4" solid rod axles.
- Platform height - 12" wheels - 19"
16" wheels - 21"

Model TV - Steel Deck

- 12 gauge steel deck with under bracing, 1-1/2" platform lips up for retention.

Model TO - Wood Capped

- 3/4" varnished plywood capped over 12 gauge steel deck with under bracing.
- Flush deck.

Model TZ - Plastic

- Durable structured foam plastic deck.
- Flush deck.

Model TX - Steel Deck With 6" Sides

- 12 gauge steel deck, with under bracing, and 6" sides.

Options:

- Vinyl matting on deck - **Code VM** (Models TV and TX only)
- 1-1/2" platform lips down (flush) - **Code FA** (Model TV only)

Model TV - Steel Deck

WxL (in)	Cat. No.'s			Wgt. (lbs)
	12" Pneumatic	16" Pneumatic	12" Mold On Rubber	
24 x 36	TV236-N2	TV236-N6	TV236-R2	116
48	TV248-N2	TV248-N6	TV248-R2	132
30 x 60	TV360-N2	TV360-N6	TV360-R2	150
36 x 60	TV460-N2	TV460-N6	TV460-R2	156
72	TV472-N2	TV472-N6	TV472-R2	168

Model TO - Wood Capped Steel Deck

WxL (in)	Cat. No.'s			Wgt. (lbs)
	12" Pneumatic	16" Pneumatic	12" Mold On Rubber	
24 x 36	TO236-N2	TO236-N6	TO236-R2	128
48	TO248-N2	TO248-N6	TO248-R2	148
30 x 60	TO360-N2	TO360-N6	TO360-R2	176
36 x 60	TO460-N2	TO460-N6	TO460-R2	186
72	TO472-N2	TO472-N6	TO472-R2	204

Model TZ - Plastic Deck

WxL (in)	Cat. No.'s			Wgt. (lbs)
	12" Pneumatic	16" Pneumatic	12" Mold On Rubber	
24 x 48	TZ248-N2	TZ248-N6	TZ248-R2	154
30 x 60	TZ360-N2	TZ360-N6	TZ360-R2	180

Model TX - Steel Deck With 6" Sides

WxL (in)	Cat. No.'s			Wgt. (lbs)
	12" Pneumatic	16" Pneumatic	12" Mold On Rubber	
24 x 36	TX236-N2	TX236-N6	TX236-R2	126
24 x 48	TX248-N2	TX248-N6	TX248-R2	144
30 x 60	TX360-N2	TX360-N6	TX360-R2	170