

## Service Carts (2 Shelves)

### Model SB - Rugged general use carts for transporting UPS boxes, parts, and more

1,200 LB CAP. \* (\*800 lb with Thermorubber casters)



#### Options:

- 2 wheel brakes on swivel casters - **Code B5**
- All swivel casters - **Code AS**
- Floor lock - **Code F5**
- Top shelf lips down (flush) - **Code FT**
- Both shelves lips down (flush) - **Code FA**
- Locking drawer 5"h x 16"w x 20"d with 2 keys - **Code DS**
- Vinyl matting on top shelf - **Code VM**
- Larger casters (page 99) and other top shelf heights available.

#### Product Features:

- All welded construction (except casters), with durable **12 gauge steel shelves**, 3/16" thick angle corners, and 12 gauge caster mounts for long lasting use.
- Tubular handle with smooth radius bend for comfort and uniform appearance.
- Bolt on casters, 2 swivel & 2 rigid, for easy replacement and superior cart tracking - see specifications chart.
- 1-1/2" shelf lips up for retention (see options).
- Clearance between shelves - 25".
- Overall height - 35" (see options).

#### SPECIFICATIONS

WxL (in)	5" Casters Cat. No.'s			Wgt. (lbs)
	Urethane	Thermorubber	Steel	
18 x 24	SB124-U5	SB124-T5	SB124-L5	70
	SB130-U5	SB130-T5	SB130-L5	76
	SB136-U5	SB136-T5	SB136-L5	82
24 x 24	SB148-U5	SB148-T5	SB148-L5	98
	SB224-U5	SB224-T5	SB224-L5	80
	SB230-U5	SB230-T5	SB230-L5	90
36	SB236-U5	SB236-T5	SB236-L5	100
	SB242-U5	SB242-T5	SB242-L5	110
	SB248-U5	SB248-T5	SB248-L5	120
60	SB260-U5	SB260-T5	SB260-L5	140
	SB272-U5	SB272-T5	SB272-L5	160
	SB336-U5	SB336-T5	SB336-L5	116
48	SB348-U5	SB348-T5	SB348-L5	140
	SB360-U5	SB360-T5	SB360-L5	164
	SB372-U5	SB372-T5	SB372-L5	188
36 x 48	SB448-U5	SB448-T5	SB448-L5	160
	SB460-U5	SB460-T5	SB460-L5	188
	SB472-U5	SB472-T5	SB472-L5	216

## 2 Shelf Vibration Reduction Carts (Pneumatic Casters)

### Model SA - Irregular surface or mezzanine transporter of packages, parts, and more.

1,200 LB CAPACITY



#### Options:

- 2 wheel brakes on swivel casters - **Code BN**
- All swivel casters - **Code AS**
- Floor lock - **Code FN**
- Top shelf lips down (flush) - **Code FT**
- Both shelves lips down (flush) - **Code FA**
- Locking drawer 5"h x 16"w x 20"d with 2 keys - **Code DS**
- Vinyl matting on top shelf - **Code VM**
- Other top shelf heights available.

#### Product Features:

- All welded construction (except casters), with durable **12 gauge steel shelves**, 3/16" thick angle corners, and 12 gauge caster mounts for long lasting use.
- Tubular handle with smooth radius bend for comfort and uniform appearance.
- Bolt on casters, 2 swivel & 2 rigid, for easy replacement and superior cart tracking - **Semi or full pneumatic casters**.
- 1-1/2" shelf lips up for retention (see options).
- Clearance between shelves - 25".
- Overall height - 39".

#### SPECIFICATIONS

WxL (in)	8" Pneumatic Casters		Wgt. (lbs)
	Semi Cat. No.	Full Cat. No.	
24 x 30	SA230-Z8	SA230-N8	110
	SA236-Z8	SA236-N8	120
	SA242-Z8	SA242-N8	130
	SA248-Z8	SA248-N8	140
	SA260-Z8	SA260-N8	160
72	SA272-Z8	SA272-N8	180
	SA336-Z8	SA336-N8	136
	SA348-Z8	SA348-N8	160
60	SA360-Z8	SA360-N8	184
	SA372-Z8	SA372-N8	208
	SA448-Z8	SA448-N8	180
36 x 48	SA460-Z8	SA460-N8	208
	SA472-Z8	SA472-N8	236

## 2,000 lb Reinforced Service Carts (2 Shelves)

**Model SE - Extra durable carts for transporting heavier boxes, parts, and more**  
**2,000 LB CAPACITY**



### Options:

- 2 wheel brakes on swivel casters - **Code B6**
- Floor lock - **Code F6**
- All swivel casters - **Code AS**
- Bottom shelf lips down - **Code FB**, Top shelf lips up - **Code GT**
- Locking drawer 5"h x 16"w x 20"d with 2 keys - **Code DS**
- Writing stand - **Code WS**
- Vinyl matting on top shelf - **Code VM**
- 8" casters (page 99) and other top shelf heights available.

### Product Features:

- All welded construction (except casters).
- Durable **12 gauge steel shelves with under bracing**, 3/16" thick angle corners, and 12 gauge caster mounts for long lasting use.
- Tubular handle with smooth radius bend for comfort and uniform appearance.
- Bolt on casters, 2 swivel & 2 rigid, for easy replacement and superior cart tracking - see specifications chart.
- 1-1/2" shelf lips down (flush) on top shelf and up on bottom shelf (see options).
- Clearance between shelves - 25".
- Overall height - 36" (see options).

### SPECIFICATIONS

WxL (in)	6" Casters Cat. No.'s			Wgt. (lbs)
	Phenolic	Rubber	Urethane	
24 x 30	SE230-P6	SE230-R6	SE230-U6	118
	36 SE236-P6	SE236-R6	SE236-U6	132
	42 SE242-P6	SE242-R6	SE242-U6	146
	48 SE248-P6	SE248-R6	SE248-U6	160
	60 SE260-P6	SE260-R6	SE260-U6	186
	72 SE272-P6	SE272-R6	SE272-U6	214
30 x 36	SE336-P6	SE336-R6	SE336-U6	148
	48 SE348-P6	SE348-R6	SE348-U6	180
	60 SE360-P6	SE360-R6	SE360-U6	210
	72 SE372-P6	SE372-R6	SE372-U6	242
36 x 48	SE448-P6	SE448-R6	SE448-U6	198
	60 SE460-P6	SE460-R6	SE460-U6	234
	72 SE472-P6	SE472-R6	SE472-U6	268

## 4,000 lb Reinforced Service Carts (2 Shelves)

**Model SD - Super heavy duty for transporting rugged loads**  
**4,000 LB CAPACITY**



### Options:

- 2 wheel brakes on swivel casters - **Code B8**
- Floor Lock - **Code F8**
- Top shelf lips up - **Code GT**
- Bottom shelf lips down (flush) - **Code FB**
- Locking drawer 5"h x 16"w x 20"d with 2 keys - **Code DS**
- Vinyl matting on top shelf - **Code VM**
- Writing stand - **Code WS**
- Other top shelf heights available.

### Product Features:

- All welded construction (except casters).
- Durable **12 gauge steel shelves with extra under bracing**, 3/16" thick angle corners, and 12 gauge caster mounts for long lasting use.
- Tubular handle with smooth radius bend for comfort and uniform appearance.
- Bolt on casters, 2 swivel & 2 rigid, for easy replacement and superior cart tracking - **8" phenolic casters**.
- 1-1/2" shelf lips down (flush) on top shelf and lips up on bottom shelf (see options).
- Clearance between shelves - 25".
- Overall height - 38" (see options).

### SPECIFICATIONS

WxL (in)	8" Casters Cat. No.'s	Wgt. (lbs)
	Phenolic	
24 x 30	SD230-P8	144
	36 SD236-P8	162
	42 SD242-P8	180
	48 SD248-P8	196
	60 SD260-P8	230
	72 SD272-P8	296
30 x 36	SD336-P8	180
	48 SD348-P8	218
	60 SD360-P8	256
	72 SD372-P8	296
36 x 48	SD448-P8	242
	60 SD460-P8	284
	72 SD472-P8	326

## Offset Handle Low Profile Carts (2 Shelves)

### Model SL - Low flush top shelf for shorter lift of heavier items.

1,200 LB CAP. \* (\*800 lb with Thermorubber casters)



#### Options:

- 2 wheel brakes on swivel casters - **Code B5**
- All swivel casters - **Code AS**
- Floor lock - **Code F5**
- Bottom shelf lips down (flush) - **Code FB**
- Top shelf lips up - **Code GT**
- Locking drawer 5"h x 16"w x 20"d with 2 keys - **Code DS**
- Vinyl matting on top shelf - **Code VM**
- Larger casters (page 99) and other top shelf heights available.

#### Product Features:

- All welded construction (except casters), with durable **12 gauge steel shelves**, 3/16" thick angle corners, and 12 gauge caster mounts for long lasting use.
- **Raised offset handle** (12" above top shelf).
- Bolt on casters, 2 swivel & 2 rigid, for easy replacement and superior cart tracking - see specifications chart.
- 1-1/2" shelf lips down (flush) on top shelf and lips up on bottom shelf (see options).
- Clearance between shelves - 17".
- Top shelf height - 27" (see options).

#### SPECIFICATIONS

WxL (in)	5" Casters Cat. No.'s			Wgt. (lbs)
	Urethane	Thermorubber	Steel	
18 x 24	SL124-U5	SL124-T5	SL124-L5	72
	SL130-U5	SL130-T5	SL130-L5	78
	SL136-U5	SL136-T5	SL136-L5	84
24 x 24	SL148-U5	SL148-T5	SL148-L5	100
	SL224-U5	SL224-T5	SL224-L5	82
	SL230-U5	SL230-T5	SL230-L5	92
30 x 36	SL236-U5	SL236-T5	SL236-L5	102
	SL242-U5	SL242-T5	SL242-L5	112
	SL248-U5	SL248-T5	SL248-L5	122
36 x 48	SL260-U5	SL260-T5	SL260-L5	142
	SL272-U5	SL272-T5	SL272-L5	162
	SL336-U5	SL336-T5	SL336-L5	120
60	SL348-U5	SL348-T5	SL348-L5	144
	SL360-U5	SL360-T5	SL360-L5	168
	SL372-U5	SL372-T5	SL372-L5	196
72	SL448-U5	SL448-T5	SL448-L5	168
	SL460-U5	SL460-T5	SL460-L5	196
	SL472-U5	SL472-T5	SL472-L5	224

## 2 Shelf Offset Handle Low Profile (Pneumatic Casters)

### Model SS - Low flush top shelf vibration reduction transporter.

1,200 LB CAPACITY



#### Options:

- 2 wheel brakes on swivel casters - **Code BN**
- All swivel casters - **Code AS**
- Floor lock - **Code FN**
- Top shelf lips up - **Code GT**
- Bottom shelf lips down (flush) - **Code FB**
- Locking drawer 5"h x 16"w x 20"d with 2 keys - **Code DS**
- Vinyl matting on top shelf - **Code VM**
- Other top shelf heights available.

#### Product Features:

- All welded construction (except casters), with durable **12 gauge steel shelves**, 3/16" thick angle corners, and 12 gauge caster mounts for long lasting use.
- **Raised offset handle** (12" above top shelf).
- Bolt on casters, 2 swivel & 2 rigid, for easy replacement and superior cart tracking - **Semi or full pneumatic casters**
- 1-1/2" shelf lips down (flush) on top shelf and lips up on bottom shelf (see options).
- Clearance between shelves - 17".
- Top shelf height - 31" (8" casters).

#### SPECIFICATIONS

WxL (in)	Pneumatic Casters		
	Semi Cat. No.	Full Cat. No.	Wgt. (lbs)
24 x 30	SS230-Z8	SS230-N8	116
	SS236-Z8	SS236-N8	126
	SS242-Z8	SS242-N8	136
	SS248-Z8	SS248-N8	146
	SS260-Z8	SS260-N8	166
30 x 36	SS272-Z8	SS272-N8	186
	SS336-Z8	SS336-N8	144
	SS348-Z8	SS348-N8	168
60	SS360-Z8	SS360-N8	192
	SS372-Z8	SS372-N8	220
	SS448-Z8	SS448-N8	192
72	SS460-Z8	SS460-N8	220
	SS472-Z8	SS472-N8	248

## 2,000 lb Reinforced Low Profile Carts (2 Shelves)

**Model SX - Extra durable carts (flush top) for heavy metal parts, dies, and more**  
**2,000 LB CAPACITY**



### Options:

- 2 wheel brakes on swivel casters - **Code B6**
- All swivel casters - **Code AS**
- Floor lock - **Code F6**
- Top shelf lips up - **Code GT**
- Bottom shelf lips down (flush) - **Code FB**
- Locking drawer 5"h x 16"w x 20"d with 2 keys - **Code DS**
- Vinyl matting on top shelf - **Code VM**
- 8" casters (page 99) and other top shelf heights available.

### Product Features:

- All welded construction (except casters).
- Durable **12 gauge steel shelves with under bracing**, 3/16" thick angle corners, and 12 gauge caster mounts for long lasting use.
- Raised offset handle (12" above top shelf).
- Bolt on casters, 2 swivel & 2 rigid, for easy replacement and superior cart tracking - see specifications chart.
- 1-1/2" shelf lips down (flush) on top shelf and lips up on bottom shelf (see options).
- Clearance between shelves - 17".
- Top shelf height - 28" (see options).

### SPECIFICATIONS

WxL (in)	6" Casters Cat. No.'s			Wgt. (lbs)
	Phenolic	Rubber	Urethane	
24 x 30	SX230-P6	SX230-R6	SX230-U6	126
36	SX236-P6	SX236-R6	SX236-U6	140
42	SX242-P6	SX242-R6	SX242-U6	154
48	SX248-P6	SX248-R6	SX248-U6	166
60	SX260-P6	SX260-R6	SX260-U6	194
72	SX272-P6	SX272-R6	SX272-U6	252
30 x 36	SX336-P6	SX336-R6	SX336-U6	158
48	SX348-P6	SX348-R6	SX348-U6	188
60	SX360-P6	SX360-R6	SX360-U6	220
72	SX372-P6	SX372-R6	SX372-U6	252
36 x 48	SX448-P6	SX448-R6	SX448-U6	212
60	SX460-P6	SX460-R6	SX460-U6	248
72	SX472-P6	SX472-R6	SX472-U6	282

## 4,000 lb Reinforced Low Profile Carts (2 Shelves)

**Model SW - Super heavy duty carts (flush top) for heavy metal parts, dies, and more**  
**4,000 LB CAPACITY**



### Options:

- 2 wheel brakes on swivel casters - **Code B8**
- Floor Lock - **Code F8**
- Top shelf lips up - **Code GT**
- Bottom shelf lips down (flush) - **Code FB**
- Locking drawer 5"h x 16"w x 20"d with 2 keys - **Code DS**
- Vinyl matting on top shelf - **Code VM**
- Other top shelf heights available.

### Product Features:

- All welded construction (except casters).
- Durable **12 gauge steel shelves with extra under bracing**, 3/16" thick angle corners, and 12 gauge caster mounts for long lasting use.
- Raised offset handle (12" above top shelf).
- Bolt on casters, 2 swivel & 2 rigid, for easy replacement and superior cart tracking - **8" phenolic casters**.
- 1-1/2" shelf lips down (flush) on top shelf and lips up on bottom shelf (see options).
- Clearance between shelves - 17".
- Top shelf height - 30" (see options).

### SPECIFICATIONS

WxL (in)	8" Casters Cat. No.'s	Wgt. (lbs)
	Phenolic	
24 x 30	SW230-P8	144
36	SW236-P8	162
42	SW242-P8	180
48	SW248-P8	196
60	SW260-P8	230
72	SW272-P8	296
30 x 36	SW336-P8	180
48	SW348-P8	218
60	SW360-P8	256
72	SW372-P8	296
36 x 48	SW448-P8	242
60	SW460-P8	284
72	SW472-P8	326



## Ergonomic Service Carts (2 Shelves)

### Model ES - Comfortable ergonomic handle carts for transporting

1,200 LB CAP. \* (\*800 lb with Thermorubber casters)

UPS boxes, parts, and more



#### Product Features:

- All welded construction (except casters).
- Durable **12 gauge steel shelves**, 3/16" thick angle corners, and 12 gauge caster mounts for long lasting use.
- **Ergonomic tubular handle** with smooth radius bend for comfort and uniform appearance.
- Bolt on casters, 2 swivel & 2 rigid, for easy replacement.
- 1-1/2" shelf lips up for retention (see options).
- Clearance between shelves - 25".
- Top shelf height - 35" (see options).

#### SPECIFICATIONS

WxL (in)	5" Casters Cat. No.'s			Wgt. (lbs)
	Urethane	Thermorubber	Steel	
18 x 36	ES136-U5	ES136-T5	ES136-L5	86
	48	ES148-U5	ES148-T5	96
24 x 30	ES230-U5	ES230-T5	ES230-L5	92
	36	ES236-U5	ES236-T5	102
42	ES242-U5	ES242-T5	ES242-L5	112
	48	ES248-U5	ES248-T5	122
60	ES260-U5	ES260-T5	ES260-L5	142
	72	ES272-U5	ES272-T5	162
30 x 36	ES336-U5	ES336-T5	ES336-L5	118
	48	ES348-U5	ES348-T5	142
60	ES360-U5	ES360-T5	ES360-L5	166
	72	ES372-U5	ES372-T5	190
36 x 48	ES448-U5	ES448-T5	ES448-L5	162
	60	ES460-U5	ES460-T5	190
72	ES472-U5	ES472-T5	218	

#### Options:

- 2 wheel brakes on swivel casters - **Code B5**
- All swivel casters - **Code AS**
- Floor lock - **Code F5**
- Top shelf lips down (flush) - **Code FT**
- Both shelves lips down (flush) - **Code FA**
- Locking drawer 5"h x 16"w x 20"d with 2 keys - **Code DS**
- Vinyl matting on top shelf - **Code VM**
- Larger casters (page 99) and other top shelf heights available.

## 2 Shelf Ergonomic Service Carts (Pneumatic Casters)

### Model LR - Comfortable ergonomic handle vibration reduction carts

1,200 LB CAPACITY

for irregular surface transportation



#### Product Features:

- All welded construction (except casters).
- Durable **12 gauge steel shelves**, 3/16" thick angle corners, and 12 gauge caster mounts for long lasting use.
- **Ergonomic tubular handle** with smooth radius bend for comfort and uniform appearance.
- Bolt on casters, 2 swivel & 2 rigid - **Semi or full pneumatic casters**.
- 1-1/2" shelf lips up for retention (see options).
- Clearance between shelves - 25".
- Top shelf height - 39" (8" casters).

#### SPECIFICATIONS

WxL (in)	Pneumatic Casters		Wgt.(lbs)
	Semi Cat. No.	Full Cat. No.	
24 x 30	LR230-Z8	LR230-N8	112
	36	LR236-Z8	122
42	LR242-Z8	LR242-N8	132
	48	LR248-Z8	142
60	LR260-Z8	LR260-N8	162
	72	LR272-Z8	182
30 x 36	LR336-Z8	LR336-N8	138
	48	LR348-Z8	162
60	LR360-Z8	LR360-N8	186
	72	LR372-Z8	210
36 x 48	LR448-Z8	LR448-N8	182
	60	LR460-Z8	210
72	LR472-Z8	LR472-N8	238

#### Options:

- 2 wheel brakes on swivel casters - **Code BN**
- All swivel casters - **Code AS**
- Floor lock - **Code FN**
- Top shelf lips down (flush) - **Code FT**
- Both shelves lips down (flush) - **Code FA**
- Locking drawer 5"h x 16"w x 20"d with 2 keys - **Code DS**
- Vinyl matting on top shelf - **Code VM**
- Other top shelf heights available.

## 2,000 lb Ergonomic Service Carts (2 Shelves)

**Model ER - Extra durable carts with ergonomic handle for transporting heavier boxes, parts, and more**

2,000 LB CAPACITY



### Options:

- 2 wheel brakes on swivel casters - **Code B6**
- Floor lock - **Code F6**
- Top shelf lips up for retention - **Code GT**
- Bottom shelf lips down (flush) - **Code FB**
- Locking drawer 5"h x 16"w x 20"d with 2 keys - **Code DS**
- Vinyl matting on top shelf - **Code VM**
- 8" casters (page 99) and other top shelf heights available.

### Product Features:

- All welded construction (except casters).
- Durable **12 gauge steel shelves with under bracing**, 3/16" thick angle corners, and 12 gauge caster mounts for long lasting use.
- **Ergonomic tubular handle** with smooth radius bend.
- Bolt on casters, 2 swivel & 2 rigid, for easy replacement and superior cart tracking - see specifications chart.
- 1-1/2" shelf lips down (flush) on top shelf and up on bottom shelf (see options).
- Clearance between shelves - 25". • Top shelf height - 36" (see options).

### SPECIFICATIONS

WxL (in)	6" Casters Cat. No.'s			Wgt. (lbs)
	Phenolic	Rubber	Urethane	
24 x 30	ER230-P6	ER230-R6	ER230-U6	120
	ER236-P6	ER236-R6	ER236-U6	134
	ER242-P6	ER242-R6	ER242-U6	148
	ER248-P6	ER248-R6	ER248-U6	162
	ER260-P6	ER260-R6	ER260-U6	188
30 x 36	ER272-P6	ER272-R6	ER272-U6	216
	ER336-P6	ER336-R6	ER336-U6	150
	ER348-P6	ER348-R6	ER348-U6	182
60	ER360-P6	ER360-R6	ER360-U6	212
	ER372-P6	ER372-R6	ER372-U6	244
	ER448-P6	ER448-R6	ER448-U6	200
36 x 48	ER460-P6	ER460-R6	ER460-U6	236
	ER472-P6	ER472-R6	ER472-U6	270

## 4,000 lb Ergonomic Service Carts (2 Shelves)

**Model EN - Super Heavy duty service cart with ergonomic handle for rugged transporting**

4,000 LB CAPACITY



### Options:

- 2 wheel brakes on swivel casters - **Code B8**
- Floor lock - **Code F8**
- Top shelf lips up for retention - **Code GT**
- Both shelf lips down (flush) - **Code FB**
- Locking drawer 5"h x 16"w x 20"d with 2 keys - **Code DS**
- Vinyl matting on top shelf - **Code VM**
- Other top shelf heights available.

### Product Features:

- All welded construction (except casters).
- Durable **12 gauge steel shelves with extra under bracing**, 3/16" thick angle corners, and 12 gauge caster mounts for long lasting use.
- **Ergonomic tubular handle** with smooth radius bend for comfort and uniform appearance.
- Bolt on casters, 2 swivel & 2 rigid, for easy replacement and superior cart tracking - **8" phenolic casters**.
- 1-1/2" shelf lips down (flush) on top shelf and lips up on bottom shelf (see options).
- Clearance between shelves - 25". • Top shelf height - 38" (see options).

### SPECIFICATIONS

WxL (in)	8" Casters Cat. No.'s	Wgt. (lbs)
	Phenolic	
24 x 30	EN230-P8	144
	EN236-P8	162
	EN242-P8	180
	EN248-P8	196
	EN260-P8	230
30 x 36	EN272-P8	296
	EN336-P8	180
	EN348-P8	218
60	EN360-P8	256
	EN372-P8	296
	EN448-P8	242
36 x 48	EN460-P8	284
	EN472-P8	326

## Order Picking Carts (2 Shelves)

### Model SO - Rugged general use carts with built in writing stand for record keeping

1,200 LB CAP. \* (\*800 lb with Thermorubber casters)

#### Product Features:

- Writing stand 12" by width of cart.
- All welded construction (except casters).
- Durable **12 gauge steel shelves**, 3/16" thick angle corners, 12 gauge caster mounts, and tubular handle with smooth radius bend.
- Bolt on casters, 2 swivel & 2 rigid, for easy replacement and superior cart tracking - see specifications chart.
- 1-1/2" shelf lips up for retention (see options).
- Clearance between shelves - 25". • Top shelf height - 35" (see options).

#### SPECIFICATIONS

WxL (in)	5" Casters Cat. No.'s			Wgt. (lbs)	
	Urethane	Thermorubber	Steel		
18 x 30	S0130-U5	S0130-T5	S0130-L5	88	
	S0136-U5	S0136-T5	S0136-L5	94	
	S0148-U5	S0148-T5	S0148-L5	110	
24 x 30	S0230-U5	S0230-T5	S0230-L5	102	
	S0236-U5	S0236-T5	S0236-L5	114	
	S0242-U5	S0242-T5	S0242-L5	124	
48	S0248-U5	S0248-T5	S0248-L5	134	
	S0260-U5	S0260-T5	S0260-L5	154	
	S0272-U5	S0272-T5	S0272-L5	174	
30 x 36	S0336-U5	S0336-T5	S0336-L5	132	
	S0348-U5	S0348-T5	S0348-L5	156	
	S0360-U5	S0360-T5	S0360-L5	180	
72	S0372-U5	S0372-T5	S0372-L5	204	
	36 x 48	S0448-U5	S0448-T5	S0448-L5	178
		S0460-U5	S0460-T5	S0460-L5	206
S0472-U5		S0472-T5	S0472-L5	234	

#### Options:

- 2 wheel brakes on swivel casters - **Code B5**
- All swivel casters - **Code AS**
- Floor lock - **Code F5**
- Vinyl matting on top shelf - **Code VM**
- Top shelf lips down (flush) - **Code FT**
- Both shelves lips down (flush) - **Code FA**
- Locking drawer 5"h x 16"w x 20"d with 2 keys - **Code DS**
- Larger casters (page 99) and other top shelf heights available.

## Order Picking Carts (3 Shelves)

### Model LO - Rugged general use carts with built in writing stand for record keeping

1,200 LB CAP. \* (\*800 lb with Thermorubber casters)

#### Product Features:

- Writing stand 12" by width of cart.
- All welded construction (except casters).
- Durable **12 gauge steel shelves**, 3/16" thick angle corners, 12 gauge caster mounts, and tubular handle with smooth radius bend.
- Bolt on casters, 2 swivel & 2 rigid - see specifications chart.
- 1-1/2" shelf lips up for retention (see options).
- Clearance between shelves - 12".
- Top shelf height - 35" (see options).

#### SPECIFICATIONS

WxL (in)	5" Casters Cat. No.'s			Wgt. (lbs)	
	Urethane	Thermorubber	Steel		
18 x 30	L0130-U5	L0130-T5	L0130-L5	108	
	L0136-U5	L0136-T5	L0136-L5	118	
	L0148-U5	L0148-T5	L0148-L5	144	
24 x 30	L0230-U5	L0230-T5	L0230-L5	132	
	L0236-U5	L0236-T5	L0236-L5	146	
	L0242-U5	L0242-T5	L0242-L5	162	
48	L0248-U5	L0248-T5	L0248-L5	176	
	L0260-U5	L0260-T5	L0260-L5	196	
	L0272-U5	L0272-T5	L0272-L5	228	
30 x 36	L0336-U5	L0336-T5	L0336-L5	172	
	L0348-U5	L0348-T5	L0348-L5	208	
	L0360-U5	L0360-T5	L0360-L5	234	
72	L0372-U5	L0372-T5	L0372-L5	270	
	36 x 48	L0448-U5	L0448-T5	L0448-L5	238
		L0460-U5	L0460-T5	L0460-L5	270
L0472-U5		L0472-T5	L0472-L5	312	

Taller  
order pick carts  
see page 58

#### Options:

- 2 wheel brakes on swivel casters - **Code B5**
- All swivel casters - **Code AS**
- Floor lock - **Code F5**
- Vinyl matting on top shelf - **Code VM**
- Top shelf lips down (flush) - **Code FT**
- All shelves lips down (flush) - **Code FA**
- Larger casters (page 99) and other top shelf heights available.

## Straight Handle Low Profile Carts (2 Shelves)

### Model SH - Low flush top shelf for shorter lift of heavier items.

1,200 LB CAP.\* (\*800 lb with Thermorubber casters)



#### Options:

- 2 wheel brakes on swivel casters - **Code B5**
- All swivel casters - **Code AS**
- Floor lock - **Code F5**
- Bottom shelf lips down (flush) - **Code FB**
- Top shelf lips up - **Code GT**
- Locking drawer 5" h x 16" w x 20" d with 2 keys - **Code DS**
- Vinyl matting on top shelf - **Code VM**
- Larger casters (page 99) and other top shelf heights available.

#### Product Features:

- All welded construction (except casters), with durable **12 gauge steel shelves**, 3/16" thick angle corners, and 12 gauge caster mounts for long lasting use.
- **Raised straight handle** (10" above top shelf).
- Bolt on casters, 2 swivel & 2 rigid, for easy replacement and superior cart tracking - see specifications chart.
- 1-1/2" shelf lips down (flush) on top shelf and lips up on bottom shelf (see options).
- Clearance between shelves - 17". • Top shelf height - 27" (see options).

#### SPECIFICATIONS

WxL (in)	5" Casters Cat. No.'s			Wgt. (lbs)
	Urethane	Thermorubber	Steel	
18 x 24	SH124-U5	SH124-T5	SH124-L5	72
	SH130-U5	SH130-T5	SH130-L5	78
	SH136-U5	SH136-T5	SH136-L5	84
24 x 24	SH148-U5	SH148-T5	SH148-L5	100
	SH224-U5	SH224-T5	SH224-L5	82
	SH230-U5	SH230-T5	SH230-L5	92
30 x 36	SH236-U5	SH236-T5	SH236-L5	102
	SH242-U5	SH242-T5	SH242-L5	112
	SH248-U5	SH248-T5	SH248-L5	122
36 x 48	SH260-U5	SH260-T5	SH260-L5	142
	SH272-U5	SH272-T5	SH272-L5	162
	SH336-U5	SH336-T5	SH336-L5	120
48 x 72	SH348-U5	SH348-T5	SH348-L5	144
	SH360-U5	SH360-T5	SH360-L5	168
	SH372-U5	SH372-T5	SH372-L5	196
60 x 72	SH448-U5	SH448-T5	SH448-L5	168
	SH460-U5	SH460-T5	SH460-L5	196
	SH472-U5	SH472-T5	SH472-L5	224

## High Handle Service Carts (2 Shelves)

### Model SG - Rugged general use carts for transporting UPS boxes, parts, and more

1,200 LB CAP.\* (\*800 lb with Thermorubber casters)



#### Options:

- 2 wheel brakes on swivel casters - **Code B5**
- All swivel casters - **Code AS**
- Floor lock - **Code F5**
- Top shelf lips down (flush) - **Code FT**
- Both shelves lips down (flush) - **Code FA**
- Locking drawer 5" h x 16" w x 20" d with 2 keys - **Code DS**
- Vinyl matting on top shelf - **Code VM**
- Larger casters (page 99) and other top shelf heights available.

#### Product Features:

- All welded construction (except casters), with durable **12 gauge steel shelves**, 3/16" thick angle corners, and 12 gauge caster mounts for long lasting use.
- **Raised level tubular handle** (5" above top shelf) with smooth radius bend.
- Bolt on casters, 2 swivel & 2 rigid, for easy replacement and superior cart tracking - see specifications chart.
- 1-1/2" shelf lips up for retention (see options).
- Clearance between shelves - 20".
- Top shelf height - 30" (see options).

#### SPECIFICATIONS

WxL (in)	5" Casters Cat. No.'s			Wgt. (lbs)
	Urethane	Thermorubber	Steel	
18 x 36	SG136-U5	SG136-T5	SG136-L5	82
	SG148-U5	SG148-T5	SG148-L5	98
24 x 30	SG230-U5	SG230-T5	SG230-L5	90
	SG236-U5	SG236-T5	SG236-L5	100
	SG242-U5	SG242-T5	SG242-L5	110
30 x 36	SG248-U5	SG248-T5	SG248-L5	120
	SG260-U5	SG260-T5	SG260-L5	140
	SG272-U5	SG272-T5	SG272-L5	160
36 x 48	SG336-U5	SG336-T5	SG336-L5	116
	SG348-U5	SG348-T5	SG348-L5	140
	SG360-U5	SG360-T5	SG360-L5	164
48 x 72	SG372-U5	SG372-T5	SG372-L5	188
	SG448-U5	SG448-T5	SG448-L5	160
	SG460-U5	SG460-T5	SG460-L5	188
72	SG472-U5	SG472-T5	SG472-L5	216

# 3" Deep Lipped Service Carts (2 & 3 Shelf)

**Models LT, EG & LN - Rugged 3" deep lipped carts for transporting small parts, and more**

1,200 LB CAP.\* (\*800 lb with Thermorubber casters)



Model LT Shown

1,200 LB CAP.\* (\*800 lb with Thermorubber casters)



Model EG Shown

1,200 LB CAP.\* (\*800 lb with Thermorubber casters)



Model LN Shown

### Product Features:

- 3" shelf lips up for retention.
- All welded construction (except casters), with durable **12 gauge steel shelves**, 3/16" thick angle corners, and 12 gauge caster mounts for long lasting use.
- Tubular handle with smooth radius bend for comfort and uniform appearance.
- Bolt on casters, 2 swivel & 2 rigid, for easy replacement and superior cart tracking - see specifications chart.
- Clearance between shelves
  - Model LT - 22"
  - Model EG - 22"
  - Model LN - 10"
- Overall height - 35" (39" with 8" full pneumatic casters) - see options.

### Options:

- 2 wheel brakes on swivel casters - **Code B5 or BN**
- All swivel casters - **Code AS**
- Floor lock - **Code F5 or FN**
- Vinyl matting on top shelf - **Code VM**
- Writing stand - **Code WS** (Models LT & LN only)
- Locking drawer 5"h x 16"w x 20"d with 2 keys - **Code DS** (Models LT & EG only)
- Other casters (page 99) and other top shelf heights available.

### Model LT - 2 Shelves - 3" Deep

WxL (in)	5" Casters Cat. No.'s				8" Full Pneumatic	
	Urethane	Thermorubber	Steel	Wgt. (lbs)	Cat. No.'s	Wgt. (lbs)
18 x 30	LT130-U5	LT130-T5	LT130-L5	91	LT130-N8	111
	36	LT136-U5	LT136-T5	97	LT136-N8	117
24 x 30	LT230-U5	LT230-T5	LT230-L5	100	LT230-N8	120
	36	LT236-U5	LT236-T5	110	LT236-N8	130
	48	LT248-U5	LT248-T5	130	LT248-N8	150

### Model EG - 2 Shelves - 3" Deep With Ergonomic Handle

WxL (in)	5" Casters Cat. No.'s				8" Full Pneumatic	
	Urethane	Thermorubber	Steel	Wgt. (lbs)	Cat. No.'s	Wgt. (lbs)
18 x 30	EG130-U5	EG130-T5	EG130-L5	92	EG130-N8	112
	36	EG136-U5	EG136-T5	102	EG136-N8	122
24 x 30	EG230-U5	EG230-T5	EG230-L5	102	EG230-N8	122
	36	EG236-U5	EG236-T5	112	EG236-N8	132
	48	EG248-U5	EG248-T5	132	EG248-N8	152

### Model LN - 3 Shelves - 3" Deep

WxL (in)	5" Casters Cat. No.'s				8" Full Pneumatic	
	Urethane	Thermorubber	Steel	Wgt. (lbs)	Cat. No.'s	Wgt. (lbs)
18 x 30	LN130-U5	LN130-T5	LN130-L5	111	LN130-N8	131
	36	LN136-U5	LN136-T5	121	LN136-N8	141
24 x 30	LN230-U5	LN230-T5	LN230-L5	128	LN230-N8	148
	36	LN236-U5	LN236-T5	142	LN236-N8	162
	48	LN248-U5	LN248-T5	170	LN248-N8	190

# 2,000 lb 3" Deep Lipped Service Carts (2 & 3 Shelf)

**Models NT, NG & NR - Rugged 3" deep lipped carts for transporting small parts, and more**

2,000 LB CAPACITY



Model NT Shown

2,000 LB CAPACITY



Model NG Shown

2,000 LB CAPACITY



Model NR Shown

### Product Features:

- 3" shelf lips up for retention.
- All welded construction (except casters), with durable **12 gauge steel shelves**, 3/16" thick angle corners, and 12 gauge caster mounts for long lasting use.
- Tubular handle with smooth radius bend for comfort and uniform appearance.
- Bolt on casters, 2 swivel & 2 rigid, for easy replacement and superior cart tracking - see specifications chart.
- Clearance between shelves
  - Model NT - 22"
  - Model NG - 22"
  - Model NR - 10"
- Overall height - 36"

### Options:

- 2 wheel brakes on swivel casters - **Code B6**
- All swivel casters - **Code AS**
- Floor lock - **Code F6**
- Vinyl matting on top shelf - **Code VM**
- Writing stand - **Code WS** (Models NT & NR only)
- Locking drawer 5"h x 16"w x 20"d with 2 keys - **Code DS** (Models NT & NG only)
- Other casters (page 99) and other top shelf heights available.

### Model NT - 2 Shelves

WxL (in)	6" Casters Cat. No.'s			Wgt. (lbs)
	Phenolic	Rubber	Urethane	
18 x 30	NT130-P6	NT130-R6	NT130-U6	121
36	NT136-P6	NT136-R6	NT136-U6	127
24 x 30	NT230-P6	NT230-R6	NT230-U6	130
36	NT236-P6	NT236-R6	NT236-U6	140
48	NT248-P6	NT248-R6	NT248-U6	160

### Model NG - 2 Shelves Ergonomic Handle

WxL (in)	6" Casters Cat. No.'s			Wgt. (lbs)
	Phenolic	Rubber	Urethane	
18 x 30	NG130-P6	NG130-R6	NG130-U6	122
36	NG136-P6	NG136-R6	NG136-U6	132
24 x 30	NG230-P6	NG230-R6	NG230-U6	132
36	NG236-P6	NG236-R6	NG236-U6	142
48	NG248-P6	NG248-R6	NG248-U6	162

### Model NR - 3 Shelves

WxL (in)	6" Casters Cat. No.'s			Wgt. (lbs)
	Phenolic	Rubber	Urethane	
18 x 30	NR130-P6	NR130-R6	NR130-U6	141
36	NR136-P6	NR136-R6	NR136-U6	151
24 x 30	NR230-P6	NR230-R6	NR230-U6	158
36	NR236-P6	NR236-R6	NR236-U6	172
48	NR248-P6	NR248-R6	NR248-U6	200

# 6" Deep Lipped Service Carts (2 Shelf)

**Models LS, EK & NF - Rugged 6" deep lipped carts for transporting small tools, and more**

1,200 LB CAP.\* (\*800 lb with Thermorubber casters)



Model LS Shown

1,200 LB CAP.\* (\*800 lb with Thermorubber casters)



Model EK Shown

1,200 LB CAP.\* (\*800 lb with Thermorubber casters)



Model NF Shown

### Product Features:

- **6" shelf lips** up for retention (except Model NF).
- All welded construction (except casters), with durable **12 gauge steel shelves**, 3/16" thick angle corners, and 12 gauge caster mounts for long lasting use.
- Bolt on casters, 2 swivel & 2 rigid, for easy replacement and superior cart tracking - see specifications chart.
- Clearance between shelves - 16" (Models LS & EK), 10" (Model NF)
- Tubular handle with smooth radius bend.
- Overall height - 35" (39" with 8" full pneumatic casters) - see options.

### Other Specifications:

#### Model EK:

- **Ergonomic tubular handle** with smooth radius bend for comfort and uniform appearance.

### Options:

- 2 wheel brakes on swivel casters - **Code B5 or BN**
- All swivel casters - **Code AS**
- Floor lock - **Code F5 or FN**
- Vinyl matting on top shelf - **Code VM**
- Writing stand - **Code WS** (Model LS & NF only)
- Locking drawer 5"h x 16"w x 20"d with 2 keys - **Code DS** (Models LS & EK only)
- Ergonomic handle - **Code EH** (Model NF only)
- Other casters (page 99) and other top shelf heights available.

### Model LS - 2 Shelves - 6" Deep

WxL (in)	5" Casters Cat. No.'s				8" Full Pneumatic	
	Urethane	Thermorubber	Steel	Wgt. (lbs)	Cat. No.'s	Wgt. (lbs)
18 x 30	LS130-U5	LS130-T5	LS130-L5	106	LS130-N8	126
36	LS136-U5	LS136-T5	LS136-L5	112	LS136-N8	132
24 x 30	LS230-U5	LS230-T5	LS230-L5	120	LS230-N8	140
36	LS236-U5	LS236-T5	LS236-L5	130	LS236-N8	150
48	LS248-U5	LS248-T5	LS248-L5	150	LS248-N8	170

### Model EK - 2 Shelves - 6" Deep With Ergonomic Handle

WxL (in)	5" Casters Cat. No.'s				8" Full Pneumatic	
	Urethane	Thermorubber	Steel	Wgt. (lbs)	Cat. No.'s	Wgt. (lbs)
18 x 30	EK130-U5	EK130-T5	EK130-L5	112	EK130-N8	132
36	EK136-U5	EK136-T5	EK136-L5	122	EK136-N8	142
24 x 30	EK230-U5	EK230-T5	EK230-L5	122	EK230-N8	142
36	EK236-U5	EK236-T5	EK236-L5	132	EK236-N8	152
48	EK248-U5	EK248-T5	EK248-L5	152	EK248-N8	172

### Model NF - 3 Shelves

WxL (in)	5" Casters Cat. No.'s				8" Full Pneumatic	
	Urethane	Thermorubber	Steel	Wgt. (lbs)	Cat. No.'s	Wgt. (lbs)
18 x 30	NF130-U5	NF130-T5	NF130-L5	146	NF130-N8	166
36	NF136-U5	NF136-T5	NF136-L5	156	NF136-N8	176
24 x 30	NF230-U5	NF230-T5	NF230-L5	168	NF230-N8	188
36	NF236-U5	NF236-T5	NF236-L5	182	NF236-N8	202
48	NF248-U5	NF248-T5	NF248-L5	210	NF248-N8	230

NOTE: Model NF - 6" lips top shelf, 1-1/2" lips middle and bottom shelves

# 2,000 lb 6" Deep Lipped Service Carts (2 & 3 Shelf)

**Models NS, NK & NP - Rugged 6" deep lipped carts for transporting small tools, and more**

2,000 LB CAPACITY



Model NS Shown

2,000 LB CAPACITY



Model NK Shown

2,000 LB CAPACITY



Model NP Shown

### Product Features:

- **6" shelf lips** up for retention (except model NP - 6" lips top shelf, 1-1/2" lips middle and bottom shelves).
- All welded construction (except casters), with durable **12 gauge steel shelves**, 3/16" thick angle corners, and 12 gauge caster mounts for long lasting use.
- Tubular handle with smooth radius bend for comfort and uniform appearance.
- Bolt on casters, 2 swivel & 2 rigid, for easy replacement and superior cart tracking - see specifications chart.
- Clearance between shelves - 16" (Models NS & NK), 10" (Model NP).
- Overall height - 36".

### Other Specifications:

#### Model NK:

- **Ergonomic tubular handle** with smooth radius bend for comfort and uniform appearance.

### Options:

- 2 wheel brakes on swivel casters - **Code B6**
- All swivel casters - **Code AS**
- Floor lock - **Code F6**
- Vinyl matting on top shelf - **Code VM**
- Writing stand - **Code WS** (Models NS & NP only)
- Locking drawer 5"h x 16"w x 20"d with 2 keys - **Code DS** (Models NS & NK only)
- Ergonomic handle - **Code EH** (Model NP only)
- Other casters (page 99) and other top shelf heights available.

### Model NS - 2 Shelves

WxL (in)	6" Casters Cat. No.'s			Wgt. (lbs)
	Phenolic	Rubber	Urethane	
18 x 30	NS130-P6	NS130-R6	NS130-U6	126
36	NS136-P6	NS136-R6	NS136-U6	132
24 x 30	NS230-P6	NS230-R6	NS230-U6	140
36	NS236-P6	NS236-R6	NS236-U6	150
48	NS248-P6	NS248-R6	NS248-U6	170

### Model NK - 2 Shelves Ergonomic Handle

WxL (in)	6" Casters Cat. No.'s			Wgt. (lbs)
	Phenolic	Rubber	Urethane	
18 x 30	NK130-P6	NK130-R6	NK130-U6	132
36	NK136-P6	NK136-R6	NK136-U6	142
24 x 30	NK230-P6	NK230-R6	NK230-U6	142
36	NK236-P6	NK236-R6	NK236-U6	152
48	NK248-P6	NK248-R6	NK248-U6	172

### Model NP - 3 Shelves

WxL (in)	6" Casters Cat. No.'s			Wgt. (lbs)
	Phenolic	Rubber	Urethane	
18 x 30	NP130-P6	NP130-R6	NP130-U6	166
36	NP136-P6	NP136-R6	NP136-U6	176
24 x 30	NP230-P6	NP230-R6	NP230-U6	188
36	NP236-P6	NP236-R6	NP236-U6	202
48	NP248-P6	NP248-R6	NP248-U6	230

NOTE: Model NP - 6" lips top shelf, 1-1/2" lips middle and bottom shelves

# Ergo Work Height Service Cart

## Model NY - Work height single shelf transporter

1,200 LB CAP.\* (\*800 lb with Thermorubber casters)



### Options:

- 2 wheel brakes on swivel casters - **Code B5 or BN**
- All swivel casters - **Code AS**
- Floor lock - **Code F5 or FN**
- Top shelf lips up - **Code GT**
- Locking drawer 5"h x 16"w x 20"d with 2 keys - **Code DS**
- Vinyl matting on top shelf - **Code VM**
- Wood capped top - **Code WT**
- Larger casters (page 99) and other top shelf heights available.

### Product Features:

- All welded construction (except casters), with durable **12 gauge steel shelves**, 3/16" thick angle corners, and 12 gauge caster mounts for long lasting use.
- **1-1/4" tubular handle (16" above top shelf)**
- Bolt on casters, 2 swivel & 2 rigid, for easy replacement and superior cart tracking - see specifications chart.
- 1-1/2" shelf lips down (flush) on top shelf (see options).
- Clearance between top shelf & bottom frame - 17".
- Top shelf height - 27" (31" with pneumatic casters)

### SPECIFICATIONS

WxL (in)	5" Casters Cat. No.'s				8" Full Pneumatic	
	Urethane	Thermorubber	Steel	Wgt. (lbs)	Cat. No.'s	Wgt. (lbs)
18 x 48	NY148-U5	NY148-T5	NY148-L5	96	NY148-N8	116
24 x 48	NY248-U5	NY248-T5	NY248-L5	104	NY248-N8	124
60	NY260-U5	NY260-T5	NY260-L5	110	NY260-N8	130
30 x 48	NY348-U5	NY348-T5	NY348-L5	112	NY348-N8	132
60	NY360-U5	NY360-T5	NY360-L5	118	NY360-N8	138

# Easy Entry Service Cart

## Model NV - Load and unload without corner posts in your way

1,200 LB CAP.\* (\*800 lb with Thermorubber casters)



### Options:

- 2 wheel brakes on swivel casters - **Code B5 or BN**
- All swivel casters - **Code AS**
- Floor lock - **Code F5 or F8**
- Locking drawer 5"h x 16"w x 20"d with 2 keys - **Code DS**
- Vinyl matting on top shelf - **Code VM**
- Larger casters (page 99).

### Product Features:

- All welded construction (except casters), with durable **12 gauge steel shelves**, 1-1/4" tubular center support posts, and 12 gauge caster mounts for long lasting use.
- Tubular handle with smooth radius bend for comfort and uniform appearance.
- Bolt on casters, 2 swivel & 2 rigid, for easy replacement and superior cart tracking - see specifications chart.
- 1-1/2" shelf lips down (flush) on top shelf and lips up for retention on bottom shelf.
- Clearance between shelves - 25".
- Overall height - 35" (39" with pneumatic casters).

### SPECIFICATIONS

WxL (in)	5" Casters Cat. No.'s				8" Full Pneumatic	
	Urethane	Thermorubber	Steel	Wgt. (lbs)	Cat. No.'s	Wgt. (lbs)
18 x 36	NV136-U5	NV136-T5	NV136-L5	56	NV136-N8	76
48	NV148-U5	NV148-T5	NV148-L5	60	NV148-N8	80
24 x 36	NV236-U5	NV236-T5	NV236-L5	62	NV236-N8	82
48	NV248-U5	NV248-T5	NV248-L5	68	NV248-N8	88

# 2 Shelf Tubular, Wood Capped & Drawer Service Carts

## Models LG, SZ, LK - General use transporter carts

**1,200 LB CAPACITY\***  
(\*800 lb with Thermorubber)



Model LG Shown

**2,000 LB CAPACITY\***  
(\*1,200 lb with full pneumatic casters)



Model SZ Shown

**1,200 LB CAP\*** (\*800 lb with Thermorubber casters)



Model LK Shown

### Product Features:

- All welded construction (except casters) with 12 gauge caster mounts for long lasting use.
- Tubular handle with smooth radius bend for comfort and uniform appearance.
- Bolt on casters, 2 swivel & 2 rigid, for easy replacement and superior cart tracking - see specifications chart.

### Other Specifications:

#### Model LG:

- 1" square tubular construction.
- Offset handle 10" above top shelf.
- Clearance between shelves - 18".
- Top deck height - 27", with Full Pneumatic Casters - 31"

#### Model SZ:

- **Shelves (flush) capped with 3/4" varnished plywood.**
- Clearance between shelves - 24".
- Top shelf height - 36" (add 4" for full pneumatic casters).
- Tubular handle with smooth radius bend for comfort and uniform appearance.

#### Model LK:

- **Locking drawer 5"h x 16"w x 20"d with 2 keys.**
- 12 gauge shelves with 3/16" corner angles.
- 1-1/2" shelf lips up for retention.
- Clearance under drawer - 19".
- Overall height - 35", with Full Pneumatic Casters - 39"

### Options:

- 2 wheel brakes on swivel casters - **Code B5 or BN**
- All swivel casters - **Code AS**
- Floor lock - **Code F5 or FN**
- Ergonomic handle - **Code EH** (Model SZ & LK only)
- Vinyl matting on top shelf - **Code VM** (Model LK only)
- Larger casters (pg. 99) available.

### Model LG - 2 Shelves Square Tubular Frame

WxL (in)	5" Casters Cat. No.'s				8" Full Pneumatic	
	Urethane	Thermorubber	Steel	Wgt. (lbs)	Cat. No.'s	Wgt. (lbs)
18 x 36	LG136-U5	LG136-T5	LG136-L5	56	LG136-N8	76
48	LG148-U5	LG148-T5	LG148-L5	60	LG148-N8	80
24 x 36	LG236-U5	LG236-T5	LG236-L5	62	LG236-N8	82
48	LG248-U5	LG248-T5	LG248-L5	68	LG248-N8	88

### Model SZ - 2 Shelves Wood Capped

WxL (in)	5" Casters Cat. No.'s				8" Full Pneumatic	
	Urethane	Thermorubber	Steel	Wgt. (lbs)	Cat. No.'s	Wgt. (lbs)
24 x 36	SZ236-U7	SZ236-T7	SZ236-L7	134	SZ236-N8	158
48	SZ248-U7	SZ248-T7	SZ248-L7	162	SZ248-N8	186
30 x 60	SZ360-U7	SZ360-T7	SZ360-L7	224	SZ360-N8	248

### Model LK - 2 Shelves with Drawer

WxL (in)	5" Casters Cat. No.'s				8" Full Pneumatic	
	Urethane	Thermorubber	Steel	Wgt. (lbs)	Cat. No.'s	Wgt. (lbs)
24 x 30	LK230-U5	LK230-T5	LK230-L5	112	LK230-N8	132
36	LK236-U5	LK236-T5	LK236-L5	122	LK236-N8	142
42	LK242-U5	LK242-T5	LK242-L5	132	LK242-N8	152
48	LK248-U5	LK248-T5	LK248-L5	142	LK248-N8	162
60	LK260-U5	LK260-T5	LK260-L5	162	LK260-N8	182
72	LK272-U5	LK272-T5	LK272-L5	182	LK272-N8	202
30 x 36	LK336-U5	LK336-T5	LK336-L5	142	LK336-N8	162
48	LK348-U5	LK348-T5	LK348-L5	162	LK348-N8	182
60	LK360-U5	LK360-T5	LK360-L5	186	LK360-N8	206
72	LK372-U5	LK372-T5	LK372-L5	210	LK372-N8	230

# 3 Shelf Service Carts With Standard or Ergo Handle & Pneumatic Casters

## Models SC, LH, ET - Durable maximum shelf storage carts

1,200 LB CAP\* (\*800 lb with Thermorubber casters)



Model SC Shown

### Product Features:

- All welded construction (except casters).
- Durable **12 gauge steel shelves**, 3/16" thick angle corners, and 12 gauge caster mounts for long lasting use.
- Tubular handle with smooth radius bend for comfort and uniform appearance.
- Bolt on casters, 2 swivel & 2 rigid - see specifications chart.
- 1-1/2" shelf lips up for retention (see options).
- Clearance between shelves - 12"
- Overall height - 35" (39" with full pneumatic casters).

### Options:

- 2 wheel brakes on swivel casters - **Code B5 or BN**
- Floor lock - **Code F5 or FN**
- All swivel casters - **Code AS**
- Top shelf lips down (flush) - **Code FT**
- All shelves lips down (flush) - **Code FA**
- Ergonomic handle - **Code EH** (Model LH only)
- Vinyl matting on top shelf - **Code VM**
- Other casters (page 99) and other top shelf heights available.

1,200 LB CAPACITY



Model LH Shown

### Model SC - 3 Shelves

WxL (in)	5" Casters Cat. No.'s			Wgt. (lbs)
	Urethane	Thermorubber	Steel	
18 x 24	SC124-U5	SC124-T5	SC124-L5	86
	SC130-U5	SC130-T5	SC130-L5	96
	SC136-U5	SC136-T5	SC136-L5	106
	SC148-U5	SC148-T5	SC148-L5	132
24 x 30	SC230-U5	SC230-T5	SC230-L5	118
	SC236-U5	SC236-T5	SC236-L5	132
	SC242-U5	SC242-T5	SC242-L5	148
	SC248-U5	SC248-T5	SC248-L5	162
30 x 36	SC260-U5	SC260-T5	SC260-L5	182
	SC272-U5	SC272-T5	SC272-L5	212
	SC336-U5	SC336-T5	SC336-L5	156
	SC348-U5	SC348-T5	SC348-L5	192
36 x 48	SC360-U5	SC360-T5	SC360-L5	218
	SC372-U5	SC372-T5	SC372-L5	254
	SC448-U5	SC448-T5	SC448-L5	220
	SC460-U5	SC460-T5	SC460-L5	252
72	SC472-U5	SC472-T5	SC472-L5	294

### Model LH - 3 Shelves with Full Pneumatic Casters

WxL (in)	8" Full Pneumatic Casters		WxL (in)	8" Full Pneumatic Casters		
	Cat. No.	Wgt. (lbs)		Cat. No.	Wgt. (lbs)	
24 x 30	LH230-N8	138	30 x 36	LH336-N8	176	
	LH236-N8	152		48	LH348-N8	212
	LH242-N8	168		60	LH360-N8	258
	LH248-N8	182		72	LH372-N8	294
60	LH260-N8	222	36 x 60	LH460-N8	292	
	LH272-N8	252		72	LH472-N8	334

1,200 LB CAP\* (\*800 lb with Thermorubber casters)



Model ET Shown

### Model ET - 3 Shelves with Ergo Handle

WxL (in)	5" Casters Cat. No.'s			Wgt. (lbs)	8" Full Pneumatic	
	Urethane	Thermorubber	Steel		Cat. No.'s	Wgt. (lbs)
24 x 30	ET230-U5	ET230-T5	ET230-L5	118	ET230-N8	138
	ET236-U5	ET236-T5	ET236-L5	132	ET236-N8	152
	ET248-U5	ET248-T5	ET248-L5	162	ET248-N8	182
	ET260-U5	ET260-T5	ET260-L5	182	ET260-N8	202
30 x 48	ET272-U5	ET272-T5	ET272-L5	212	ET272-N8	232
	ET348-U5	ET348-T5	ET348-L5	192	ET348-N8	212
	ET360-U5	ET360-T5	ET360-L5	218	ET360-N8	238
	ET460-U5	ET460-T5	ET460-L5	252	ET460-N8	272
72	ET472-U5	ET472-T5	ET472-L5	294	ET472-N8	314

# 2,000 & 4,000 lb Reinforced Service Carts (3 Shelves)

Models SF, EF, SK - Extra & super heavy duty carts for transporting materials

## 2,000 LB CAPACITY



Model SF Shown

## 2,000 LB CAPACITY



Model EF Shown

## 4,000 LB CAPACITY



Model SK Shown

### Product Features:

- All welded construction (except casters).
- Durable **12 gauge steel shelves with extra under bracing**, 3/16" thick angle corners, and 12 gauge caster mounts for long lasting use.
- Tubular handle with smooth radius bend for comfort and uniform appearance.
- Bolt on casters, 2 swivel & 2 rigid - see specifications chart.
- 1-1/2" top shelf lips down (flush) and other shelves lips up - see options.
- Clearance between shelves - 12"
- Overall height - 36" (see options) Model SK - 38".

### Options:

- Floor lock - **Code F6 or F8**
- 2 wheel brakes on swivel casters - **Code B6 or B8**
- All swivel casters - **Code AS**
- Top shelf lips up - **Code GT**
- All shelves lips down (flush) - **Code FA**
- Vinyl matting on top shelf - **Code VM**
- Ergonomic handle - **Code EH** (Model SK only)
- Larger casters (page 99) and other top shelf heights available.

### Model SF - 3 Shelves 2,000 lb Capacity

WxL (in)	6" Casters Cat. No.'s			Wgt. (lbs)
	Phenolic	Rubber	Urethane	
24 x 30	SF230-P6	SF230-R6	SF230-U6	148
36	SF236-P6	SF236-R6	SF236-U6	166
42	SF242-P6	SF242-R6	SF242-U6	186
48	SF248-P6	SF248-R6	SF248-U6	204
60	SF260-P6	SF260-R6	SF260-U6	240
72	SF272-P6	SF272-R6	SF272-U6	274
30 x 36	SF336-P6	SF336-R6	SF336-U6	190
48	SF348-P6	SF348-R6	SF348-U6	234
60	SF360-P6	SF360-R6	SF360-U6	272
72	SF372-P6	SF372-R6	SF372-U6	316
36 x 48	SF448-P6	SF448-R6	SF448-U6	258
60	SF460-P6	SF460-R6	SF460-U6	306
72	SF472-P6	SF472-R6	SF472-U6	356

### Model EF - 3 Shelves 2,000 lb Capacity with Ergo Handle

WxL (in)	6" Casters Cat. No.'s			Wgt. (lbs)
	Phenolic	Rubber	Urethane	
24 x 30	EF230-P6	EF230-R6	EF230-U6	150
36	EF236-P6	EF236-R6	EF236-U6	168
42	EF242-P6	EF242-R6	EF242-U6	188
48	EF248-P6	EF248-R6	EF248-U6	206
60	EF260-P6	EF260-R6	EF260-U6	242
72	EF272-P6	EF272-R6	EF272-U6	276
30 x 36	EF336-P6	EF336-R6	EF336-U6	192
48	EF348-P6	EF348-R6	EF348-U6	236
60	EF360-P6	EF360-R6	EF360-U6	274
72	EF372-P6	EF372-R6	EF372-U6	318
36 x 48	EF448-P6	EF448-R6	EF448-U6	260
60	EF460-P6	EF460-R6	EF460-U6	308
72	EF472-P6	EF472-R6	EF472-U6	358

### Model SK - 3 Shelves 4,000 lb Capacity

WxL (in)	8" Phenolic Casters		WxL (in)	8" Phenolic Casters	
	Cat. No.	Wgt. (lbs)		Cat. No.	Wgt. (lbs)
24 x 30	SK230-P8	168	30 x 36	SK336-P8	210
36	SK236-P8	186	48	SK348-P8	254
42	SK242-P8	206	60	SK360-P8	296
48	SK248-P8	224	36 x 48	SK448-P8	278
60	SK260-P8	260	60	SK460-P8	326
72	SK272-P8	294	72	SK472-P8	376