

Stock Trucks (3, 4 & 5 Shelves)

Model CC, CD, & CE - Versatile heavy duty multiple shelf trucks

3,000 LB CAPACITY*
(*2,000 lb with rubber casters)



3,000 LB CAPACITY*
(*2,000 lb with rubber casters)

Model CC Shown



3,000 LB CAPACITY*
(*2,000 lb with rubber casters)

Model CD Shown



Model CE Shown

Product Features:

- All welded construction (except casters).
- Durable **12 gauge steel shelves**, 3/16" thick angle corners, and 12 gauge caster mounts.
- Tubular handle with smooth radius bend for comfort and uniform appearance.
- Bolt on casters, 2 swivel & 2 rigid - see specifications chart.
- 1-1/2" shelf lips up for retention (see options).
- Clearance between shelves - Model CC - 17", Model CD - 15" & Model CE - 13".
- Overall height - Model CC - 48", Model CD - 60" & Model CE - 68".

Options:

- Brakes on swivel casters - **Code B6**
- Floor lock - **Code F6**
- All shelves lips down - **Code FA**
- Fork lift pockets - 3" x 6" (specify center line) - **Code FP**
- Larger casters (page 99), other top shelf heights available.

Model CC - 3 Shelf Trucks

WxL (in)	6" Casters Cat. No.'s			Wgt. (lbs)
	Phenolic	Rubber	Urethane	
18 x 36	CC136-P6	CC136-R6	CC136-U6	132
	48	CC148-P6	CC148-R6	154
24 x 36	CC236-P6	CC236-R6	CC236-U6	156
	42	CC242-P6	CC242-R6	170
48	CC248-P6	CC248-R6	CC248-U6	186
	60	CC260-P6	CC260-R6	216
72	CC272-P6	CC272-R6	CC272-U6	246
	30 x 36	CC336-P6	CC336-R6	CC336-U6
48		CC348-P6	CC348-R6	216
60	CC360-P6	CC360-R6	CC360-U6	252
	72	CC372-P6	CC372-R6	288
36 x 48	CC448-P6	CC448-R6	CC448-U6	246
	60	CC460-P6	CC460-R6	290
72	CC472-P6	CC472-R6	332	

Model CD - 4 Shelf Trucks

WxL (in)	6" Casters Cat. No.'s			Wgt. (lbs)
	Phenolic	Rubber	Urethane	
18 x 36	CD136-P6	CD136-R6	CD136-U6	164
	48	CD148-P6	CD148-R6	194
24 x 36	CD236-P6	CD236-R6	CD236-U6	196
	42	CD242-P6	CD242-R6	214
48	CD248-P6	CD248-R6	CD248-U6	234
	60	CD260-P6	CD260-R6	274
72	CD272-P6	CD272-R6	CD272-U6	314
	30 x 36	CD336-P6	CD336-R6	CD336-U6
48		CD348-P6	CD348-R6	274
60	CD360-P6	CD360-R6	CD360-U6	322
	72	CD372-P6	CD372-R6	370
36 x 48	CD448-P6	CD448-R6	CD448-U6	314
	60	CD460-P6	CD460-R6	372
72	CD472-P6	CD472-R6	428	

Model CE - 5 Shelf Trucks

WxL (in)	6" Casters Cat. No.'s			Wgt. (lbs)
	Phenolic	Rubber	Urethane	
18 x 36	CE136-P6	CE136-R6	CE136-U6	194
	48	CE148-P6	CE148-R6	232
24 x 36	CE236-P6	CE236-R6	CE236-U6	232
	42	CE242-P6	CE242-R6	256
48	CE248-P6	CE248-R6	CE248-U6	282
	60	CE260-P6	CE260-R6	330
72	CE272-P6	CE272-R6	CE272-U6	380
	30 x 36	CE336-P6	CE336-R6	CE336-U6
48		CE348-P6	CE348-R6	330
60	CE360-P6	CE360-R6	CE360-U6	390
	72	CE372-P6	CE372-R6	450
36 x 48	CE448-P6	CE448-R6	CE448-U6	380
	60	CE460-P6	CE460-R6	450
72	CE472-P6	CE472-R6	520	

Stock Trucks (6 Shelves)

Model CF - Multipurpose heavy duty trucks for warehouse, stockroom, shipping, and more

3,000 LB CAPACITY*
(*2,000 lb with rubber casters)



Options:

- 2 wheel brakes on swivel casters - **Code B6**
- Floor lock - **Code F6**
- All shelves lips down - **Code FA**
- Fork lift pockets - 3" x 6" (specify center line) - **Code FP**
- Larger casters (page 99), other top shelf heights available.

Product Features:

- All welded construction (except casters).
- Durable **12 gauge steel shelves**, 3/16" thick angle corners, and 12 gauge caster mounts for long lasting use.
- Tubular handle with smooth radius bend for comfort and uniform appearance.
- Bolt on casters, 2 swivel & 2 rigid, for easy replacement and superior cart tracking - see specifications chart.
- 1-1/2" shelf lips up for retention (see options).
- Clearance between shelves - 11". • Overall height - 72" (see options).

SPECIFICATIONS

WxL (in)	6" Casters Cat. No.'s			Wgt. (lbs)	
	Phenolic	Rubber	Urethane		
18 x 36	CF136-P6	CF136-R6	CF136-U6	220	
	48	CF148-R6	CF148-U6	266	
24 x 36	CF236-P6	CF236-R6	CF236-U6	266	
	42	CF242-P6	CF242-U6	296	
	48	CF248-P6	CF248-U6	326	
	60	CF260-P6	CF260-U6	384	
30 x 36	72	CF272-P6	CF272-U6	444	
	48	CF336-P6	CF336-R6	CF336-U6	312
	60	CF348-P6	CF348-R6	CF348-U6	384
	72	CF360-P6	CF360-R6	CF360-U6	456
36 x 48	72	CF372-P6	CF372-R6	CF372-U6	528
	60	CF448-P6	CF448-R6	CF448-U6	442
	60	CF460-P6	CF460-R6	CF460-U6	528
	72	CF472-P6	CF472-R6	CF472-U6	598

Adjustable Shelf Stock Trucks

Model CZ - Multipurpose heavy duty trucks for warehouse, stockroom, shipping, and more

3,000 LB CAPACITY*
(*2,000 lb with rubber casters)



Options:

- 2 wheel brakes on swivel casters - **Code B6**
- Floor lock - **Code F6**
- All shelves lips down - **Code FA**
- Fork lift pockets - 3" x 6" (specify center line) - **Code FP**
- Additional adjustable shelves - **Code AT**
- Larger casters (page 99), other top shelf heights available.

Product Features:

- All welded construction (except casters and adjustable shelf).
- Durable **12 gauge steel shelves**, 3/16" thick angle corners, and 12 gauge caster mounts for long lasting use.
- **Adjustable middle shelf** is standard - adjustable on 3-1/2" centers - see options for additional shelves.
- Tubular handle with smooth radius bend for comfort and uniform appearance.
- Bolt on casters, 2 swivel & 2 rigid.
- 1-1/2" bottom shelf lips up for retention (see options).
- Overall height - 57" (see options).

SPECIFICATIONS

WxL (in)	6" Casters Cat. No.'s			Wgt. (lbs)
	Phenolic	Rubber	Urethane	
24 x 36	CZ236-P6	CZ236-R6	CZ236-U6	156
	42	CZ242-P6	CZ242-U6	170
	48	CZ248-P6	CZ248-U6	186
	60	CZ260-P6	CZ260-U6	216
	72	CZ272-P6	CZ272-U6	246
30 x 48	CZ348-P6	CZ348-R6	CZ348-U6	216
	60	CZ360-P6	CZ360-U6	252
	72	CZ372-P6	CZ372-U6	288
36 x 48	CZ448-P6	CZ448-R6	CZ448-U6	246
	60	CZ460-P6	CZ460-U6	290
	72	CZ472-P6	CZ472-U6	332

Order Picking Stock Trucks (3, 4, & 5 Shelves)

Models CO, DO, EO - Heavy duty stock trucks for warehouse, stockroom, and shipping with built in writing stand for record keeping

3,000 LB CAPACITY*
(*2,000 lb with rubber casters)



3,000 LB CAPACITY*
(*2,000 lb with rubber casters)

Model CO Shown



3,000 LB CAPACITY*
(*2,000 lb with rubber casters)

Model DO Shown



Model EO Shown

Product Features:

- **Writing stand** 12" by width of cart and all welded construction (except casters).
- Durable **12 gauge steel shelves**, 3/16" thick angle corners, and 12 gauge caster mounts.
- Bolt on casters, 2 swivel & 2 rigid - see specifications chart.
- 1-1/2" shelf lips up for retention (see options).
- Clearance between shelves - Model CO - 17", Model DO - 15", Model EO - 13".
- Overall height - Model CO - 48", Model DO - 60", Model EO - 68" (see options).

Options:

- 2 wheel brakes on swivel casters - **Code B6**
- Floor Lock - **Code F6**
- All shelves lips down (flush) - **Code FA**
- Fork lift pockets - 3" x 6" (specify center line) - **Code FP**
- Larger casters (page 99), other top shelf heights available.

**Shorter
2 & 3 Shelf
Order Picking Carts
Models SO & LO
see page 10**

Model CO - with 3 shelves

WxL (in)	6" Casters Cat. No.'s			Wgt. (lbs)
	Phenolic	Rubber	Urethane	
24 x 36	C0236-P6	C0236-R6	C0236-U6	166
42	C0242-P6	C0242-R6	C0242-U6	180
48	C0248-P6	C0248-R6	C0248-U6	196
60	C0260-P6	C0260-R6	C0260-U6	226
72	C0272-P6	C0272-R6	C0272-U6	258
30 x 36	C0336-P6	C0336-R6	C0336-U6	192
48	C0348-P6	C0348-R6	C0348-U6	228
60	C0360-P6	C0360-R6	C0360-U6	264
72	C0372-P6	C0372-R6	C0372-U6	300
36 x 48	C0448-P6	C0448-R6	C0448-U6	260
60	C0460-P6	C0460-R6	C0460-U6	304
72	C0472-P6	C0472-R6	C0472-U6	348

Model DO - with 4 shelves

WxL (in)	6" Casters Cat. No.'s			Wgt. (lbs)
	Phenolic	Rubber	Urethane	
24 x 36	D0236-P6	D0236-R6	D0236-U6	206
42	D0242-P6	D0242-R6	D0242-U6	224
48	D0248-P6	D0248-R6	D0248-U6	244
60	D0260-P6	D0260-R6	D0260-U6	284
72	D0272-P6	D0272-R6	D0272-U6	326
30 x 36	D0336-P6	D0336-R6	D0336-U6	238
48	D0348-P6	D0348-R6	D0348-U6	286
60	D0360-P6	D0360-R6	D0360-U6	334
72	D0372-P6	D0372-R6	D0372-U6	382
36 x 48	D0448-P6	D0448-R6	D0448-U6	326
60	D0460-P6	D0460-R6	D0460-U6	384
72	D0472-P6	D0472-R6	D0472-U6	440

Model EO - with 5 shelves

WxL (in)	6" Casters Cat. No.'s			Wgt. (lbs)
	Phenolic	Rubber	Urethane	
24 x 36	E0236-P6	E0236-R6	E0236-U6	244
42	E0242-P6	E0242-R6	E0242-U6	268
48	E0248-P6	E0248-R6	E0248-U6	294
60	E0260-P6	E0260-R6	E0260-U6	342
72	E0272-P6	E0272-R6	E0272-U6	392
30 x 36	E0336-P6	E0336-R6	E0336-U6	282
48	E0348-P6	E0348-R6	E0348-U6	342
60	E0360-P6	E0360-R6	E0360-U6	402
72	E0372-P6	E0372-R6	E0372-U6	462
36 x 48	E0448-P6	E0448-R6	E0448-U6	392
60	E0460-P6	E0460-R6	E0460-U6	462
72	E0472-P6	E0472-R6	E0472-U6	532

Ergonomic Stock Trucks (3, 4, & 5 Shelves)

Model NC, ND, NE - Versatile heavy duty trucks for warehouse, stockroom, shipping, 3,000 LB CAPACITY* and more with a comfortable ergonomic handle
 (*2,000 lb with rubber casters)



3,000 LB CAPACITY*
 (*2,000 lb with rubber casters)

Model NC Shown



3,000 LB CAPACITY*
 (*2,000 lb with rubber casters)

Model ND Shown



Model NE Shown

Product Features:

- **Ergonomic tubular handle** with smooth radius bend for comfort.
- All welded construction (except casters).
- Durable **12 gauge steel shelves**, 3/16" thick angle corners, and 12 gauge caster mounts.
- Bolt on casters, 2 swivel & 2 rigid - see specifications chart.
- 1-1/2" shelf lips up for retention (see options).
- Clearance between shelves - Model NC - 17", Model ND - 15", Model NE - 13".
- Overall height - Model NC - 48", Model ND - 60", Model NE - 68" (see options).

Options:

- 2 wheel brakes on swivel casters - **Code B6**
- Floor lock - **Code F6**
- All shelves lips down - **Code FA**
- Fork lift pockets - 3" x 6" (specify center line) - **Code FP**
- Larger casters (page 99), other top shelf heights available.

Model NC - with 3 shelves

WxL (in)	6" Casters Cat. No.'s			Wgt. (lbs)
	Phenolic	Rubber	Urethane	
24 x 36	NC236-P6	NC236-R6	NC236-U6	158
	NC242-P6	NC242-R6	NC242-U6	172
	NC248-P6	NC248-R6	NC248-U6	188
	NC260-P6	NC260-R6	NC260-U6	218
30 x 36	NC272-P6	NC272-R6	NC272-U6	248
	NC336-P6	NC336-R6	NC336-U6	182
	NC348-P6	NC348-R6	NC348-U6	218
	NC360-P6	NC360-R6	NC360-U6	254
36 x 48	NC372-P6	NC372-R6	NC372-U6	290
	NC448-P6	NC448-R6	NC448-U6	248
	NC460-P6	NC460-R6	NC460-U6	292
	NC472-P6	NC472-R6	NC472-U6	334

Model ND - with 4 shelves

WxL (in)	6" Casters Cat. No.'s			Wgt. (lbs)
	Phenolic	Rubber	Urethane	
24 x 36	ND236-P6	ND236-R6	ND236-U6	198
	ND242-P6	ND242-R6	ND242-U6	216
	ND248-P6	ND248-R6	ND248-U6	236
	ND260-P6	ND260-R6	ND260-U6	276
30 x 36	ND272-P6	ND272-R6	ND272-U6	316
	ND336-P6	ND336-R6	ND336-U6	228
	ND348-P6	ND348-R6	ND348-U6	276
	ND360-P6	ND360-R6	ND360-U6	324
36 x 48	ND372-P6	ND372-R6	ND372-U6	372
	ND448-P6	ND448-R6	ND448-U6	316
	ND460-P6	ND460-R6	ND460-U6	374
	ND472-P6	ND472-R6	ND472-U6	430

Model NE - with 5 shelves

WxL (in)	6" Casters Cat. No.'s			Wgt. (lbs)
	Phenolic	Rubber	Urethane	
24 x 36	NE236-P6	NE236-R6	NE236-U6	234
	NE242-P6	NE242-R6	NE242-U6	258
	NE248-P6	NE248-R6	NE248-U6	284
	NE260-P6	NE260-R6	NE260-U6	332
	NE272-P6	NE272-R6	NE272-U6	382
30 x 36	NE336-P6	NE336-R6	NE336-U6	272
	NE348-P6	NE348-R6	NE348-U6	332
	NE360-P6	NE360-R6	NE360-U6	392
	NE372-P6	NE372-R6	NE372-U6	452
36 x 48	NE448-P6	NE448-R6	NE448-U6	382
	NE460-P6	NE460-R6	NE460-U6	452
	NE472-P6	NE472-R6	NE472-U6	522

2 Sided Mesh Trucks (2, 3, & 4 Shelves)

Model EB, EC, ED - Clear view heavy duty trucks with maximum durability

2,000 LB CAPACITY



3,000 LB CAPACITY*
(*2,000 lb with rubber casters)

Model EB Shown



3,000 LB CAPACITY*
(*2,000 lb with rubber casters)

Model EC Shown



Model ED Shown

Product Features:

- **Two sided entry** for ease of access.
- **Two ends flattened 13 gauge expanded mesh** 4' high.
- All welded construction (except casters).
- Durable **12 gauge steel shelves**, 3/16" thick angle corners, and 12 gauge caster mounts for long lasting use.
- Tubular handle with smooth radius bend for comfort and uniform appearance.
- Bolt on casters, 2 swivel & 2 rigid, for easy replacement and superior cart tracking - see specifications chart.
- Clearance between shelves - Model EB - 22", Model EC - 15" & Model ED - 13"
- 1-1/2" shelf lips up for retention (see options). • Overall height - 57".

Options:

- 2 wheel brakes on swivel casters - **Code B6**
- Floor lock (centered on handle end) - **Code F6**
- Ergonomic handle - **Code EH**
- All shelves lips down (flush) - **Code FA**
- Fork lift pockets - 3" x 6" (specify center line) - **Code FP**
- Writing stand - **Code WS**
- Other casters (page 99) and shelf heights available.

Model EB - with 2 shelves

WxL (in)	6" Casters Cat. No.'s			Wgt. (lbs)
	Phenolic	Rubber	Urethane	
24 x 36	EB236-P6	EB236-R6	EB236-U6	148
	42	EB242-P6	EB242-R6	158
	48	EB248-P6	EB248-R6	168
	60	EB260-P6	EB260-R6	188
30 x 48	72	EB272-P6	EB272-R6	208
	60	EB348-P6	EB348-R6	198
	72	EB360-P6	EB360-R6	222
36 x 48	60	EB372-P6	EB372-R6	246
	60	EB448-P6	EB448-R6	230
	72	EB460-P6	EB460-R6	260
72	EB472-P6	EB472-R6	288	

Model EC - with 3 shelves

WxL (in)	6" Casters Cat. No.'s			Wgt. (lbs)
	Phenolic	Rubber	Urethane	
24 x 36	EC236-P6	EC236-R6	EC236-U6	180
	42	EC242-P6	EC242-R6	194
	48	EC248-P6	EC248-R6	210
	60	EC260-P6	EC260-R6	240
30 x 48	72	EC272-P6	EC272-R6	270
	60	EC348-P6	EC348-R6	250
	72	EC360-P6	EC360-R6	286
36 x 48	60	EC372-P6	EC372-R6	322
	60	EC448-P6	EC448-R6	292
	72	EC460-P6	EC460-R6	334
72	EC472-P6	EC472-R6	376	

Model ED - with 4 shelves

WxL (in)	6" Casters Cat. No.'s			Wgt. (lbs)
	Phenolic	Rubber	Urethane	
24 x 36	ED236-P6	ED236-R6	ED236-U6	212
	42	ED242-P6	ED242-R6	230
	48	ED248-P6	ED248-R6	252
	60	ED260-P6	ED260-R6	292
30 x 48	72	ED272-P6	ED272-R6	332
	60	ED348-P6	ED348-R6	302
	72	ED360-P6	ED360-R6	350
36 x 48	60	ED372-P6	ED372-R6	398
	60	ED448-P6	ED448-R6	354
	72	ED460-P6	ED460-R6	408
72	ED472-P6	ED472-R6	464	

2 Sided Slat Trucks (2, 3, & 4 Shelves)

Model KB, KC, KD - Clear view heavy duty trucks with maximum durability

2,000 LB CAPACITY



Model KB Shown

3,000 LB CAPACITY*
(*2,000 lb with rubber casters)



Model KC Shown

3,000 LB CAPACITY*
(*2,000 lb with rubber casters)



Model KD Shown

Product Features:

- Two sided entry for ease of access.
- Two ends 1" x 3/16" steel slats on 6" centers 4' high.
- All welded construction (except casters).
- Durable **12 gauge steel shelves**, 3/16" thick angle corners, and 12 gauge caster mounts for long lasting use.
- Tubular handle with smooth radius bend for comfort and uniform appearance.
- Bolt on casters, 2 swivel & 2 rigid, for easy replacement and superior cart tracking - see specifications chart.
- Clearance between shelves - Model KB - 22", Model KC - 15" & Model KD - 13"
- 1-1/2" shelf lips up for retention (see options). • Overall height - 57".

Options:

- 2 wheel brakes on swivel casters - **Code B6**
- Floor lock (centered on handle end) - **Code F6**
- Ergonomic handle - **Code EH**
- All shelves lips down (flush) - **Code FA**
- Fork lift pockets - 3" x 6" (specify center line) - **Code FP**
- Writing stand - **Code WS**
- Other casters (page 99) and shelf heights available.

Model KB - with 2 shelves

WxL (in)	6" Casters Cat. No.'s			Wgt. (lbs)
	Phenolic	Rubber	Urethane	
24 x 36	KB236-P6	KB236-R6	KB236-U6	152
42	KB242-P6	KB242-R6	KB242-U6	162
48	KB248-P6	KB248-R6	KB248-U6	172
60	KB260-P6	KB260-R6	KB260-U6	192
72	KB272-P6	KB272-R6	KB272-U6	212
30 x 48	KB348-P6	KB348-R6	KB348-U6	204
60	KB360-P6	KB360-R6	KB360-U6	228
72	KB372-P6	KB372-R6	KB372-U6	252
36 x 48	KB448-P6	KB448-R6	KB448-U6	238
60	KB460-P6	KB460-R6	KB460-U6	268
72	KB472-P6	KB472-R6	KB472-U6	296

Model KC - with 3 shelves

WxL (in)	6" Casters Cat. No.'s			Wgt. (lbs)
	Phenolic	Rubber	Urethane	
24 x 36	KC236-P6	KC236-R6	KC236-U6	184
42	KC242-P6	KC242-R6	KC242-U6	198
48	KC248-P6	KC248-R6	KC248-U6	214
60	KC260-P6	KC260-R6	KC260-U6	244
72	KC272-P6	KC272-R6	KC272-U6	274
30 x 48	KC348-P6	KC348-R6	KC348-U6	256
60	KC360-P6	KC360-R6	KC360-U6	292
72	KC372-P6	KC372-R6	KC372-U6	328
36 x 48	KC448-P6	KC448-R6	KC448-U6	300
60	KC460-P6	KC460-R6	KC460-U6	342
72	KC472-P6	KC472-R6	KC472-U6	384

Model KD - with 4 shelves

WxL (in)	6" Casters Cat. No.'s			Wgt. (lbs)
	Phenolic	Rubber	Urethane	
24 x 36	KD236-P6	KD236-R6	KD236-U6	216
42	KD242-P6	KD242-R6	KD242-U6	234
48	KD248-P6	KD248-R6	KD248-U6	256
60	KD260-P6	KD260-R6	KD260-U6	296
72	KD272-P6	KD272-R6	KD272-U6	336
30 x 48	KD348-P6	KD348-R6	KD348-U6	308
60	KD360-P6	KD360-R6	KD360-U6	356
72	KD372-P6	KD372-R6	KD372-U6	404
36 x 48	KD448-P6	KD448-R6	KD448-U6	362
60	KD460-P6	KD460-R6	KD460-U6	416
72	KD472-P6	KD472-R6	KD472-U6	472

Cart capacities are the lesser capacity between cart shelves (evenly distributed load) and the casters

2 Sided Solid Trucks (2, 3, & 4 Shelves)

Model DB, DC, DD - Solid heavy duty trucks with maximum durability

2,000 LB CAPACITY



Model DB Shown

3,000 LB CAPACITY*
(*2,000 lb with rubber casters)



Model DC Shown

3,000 LB CAPACITY*
(*2,000 lb with rubber casters)



Model DD Shown

Product Features:

- Two sided entry for ease of access.
- Two ends 14 gauge steel 4' high.
- All welded construction (except casters).
- Durable **12 gauge steel shelves**, 3/16" thick angle corners, and 12 gauge caster mounts for long lasting use.
- Tubular handle with smooth radius bend for comfort and uniform appearance.
- Bolt on casters, 2 swivel & 2 rigid, for easy replacement and superior cart tracking - see specifications chart.
- Clearance between shelves - Model DB - 22", Model DC - 15" & Model DD - 13"
- 1-1/2" shelf lips up for retention (see options).
- Overall height - 57".

Options:

- 2 wheel brakes on swivel casters - **Code B6**
- Floor lock (centered on handle end) - **Code F6**
- Ergonomic handle - **Code EH**
- All shelves lips down (flush) - **Code FA**
- Fork lift pockets - 3" x 6" (specify center line) - **Code FP**
- Writing stand - **Code WS**
- Other casters (page 99) and shelf heights available.

Model DB - with 2 shelves

WxL (in)	6" Casters Cat. No.'s			Wgt. (lbs)
	Phenolic	Rubber	Urethane	
24 x 36	DB236-P6	DB236-R6	DB236-U6	206
42	DB242-P6	DB242-R6	DB242-U6	216
48	DB248-P6	DB248-R6	DB248-U6	226
60	DB260-P6	DB260-R6	DB260-U6	246
72	DB272-P6	DB272-R6	DB272-U6	266
30 x 48	DB348-P6	DB348-R6	DB348-U6	266
60	DB360-P6	DB360-R6	DB360-U6	290
72	DB372-P6	DB372-R6	DB372-U6	314
36 x 48	DB448-P6	DB448-R6	DB448-U6	306
60	DB460-P6	DB460-R6	DB460-U6	336
72	DB472-P6	DB472-R6	DB472-U6	364

Model DC - with 3 shelves

WxL (in)	6" Casters Cat. No.'s			Wgt. (lbs)
	Phenolic	Rubber	Urethane	
24 x 36	DC236-P6	DC236-R6	DC236-U6	238
42	DC242-P6	DC242-R6	DC242-U6	252
48	DC248-P6	DC248-R6	DC248-U6	268
60	DC260-P6	DC260-R6	DC260-U6	298
72	DC272-P6	DC272-R6	DC272-U6	328
30 x 48	DC348-P6	DC348-R6	DC348-U6	318
60	DC360-P6	DC360-R6	DC360-U6	354
72	DC372-P6	DC372-R6	DC372-U6	390
36 x 48	DC448-P6	DC448-R6	DC448-U6	368
60	DC460-P6	DC460-R6	DC460-U6	410
72	DC472-P6	DC472-R6	DC472-U6	452

Model DD - with 4 shelves

WxL (in)	6" Casters Cat. No.'s			Wgt. (lbs)
	Phenolic	Rubber	Urethane	
24 x 36	DD236-P6	DD236-R6	DD236-U6	270
42	DD242-P6	DD242-R6	DD242-U6	288
48	DD248-P6	DD248-R6	DD248-U6	310
60	DD260-P6	DD260-R6	DD260-U6	350
72	DD272-P6	DD272-R6	DD272-U6	390
30 x 48	DD348-P6	DD348-R6	DD348-U6	370
60	DD360-P6	DD360-R6	DD360-U6	418
72	DD372-P6	DD372-R6	DD372-U6	466
36 x 48	DD448-P6	DD448-R6	DD448-U6	430
60	DD460-P6	DD460-R6	DD460-U6	484
72	DD472-P6	DD472-R6	DD472-U6	540

Sloped 3 Sided Rod Trucks (2, 3, & 4 Shelves)

Models HT, HS, HR - Versatile transporter with sloped shelves to prevent items from rolling off

3,000 LB CAPACITY*
(*2,000 lb with rubber casters)



3,000 LB CAPACITY*
(*2,000 lb with rubber casters)

Model HT Shown



3,000 LB CAPACITY*
(*2,000 lb with rubber casters)

Model HS Shown



Model HR Shown

Product Features:

- Limited one side access.
- **1" sloped (back) shelves** (except bottom shelf).
- **Vertically mounted 1/2" rods, on 6" centers, on 3 sides, 4' high.**
- All welded construction (except casters).
- Durable **12 gauge steel shelves, 1" tubular frame**, and 12 gauge caster mounts.
- Bolt on casters, 2 swivel & 2 rigid - see specifications chart.
- 1-1/2" shelf lips down (flush)- see options.
- Clearance between shelves - Model HT - 22", Model HS - 15", Model HR - 13".
- Overall height - 57".

Options:

- 2 wheel brakes on swivel casters - **Code B6**
- Floor lock - **Code F6**
- All shelves lips up - **Code GA**
- Push handle - **Code PH**
- Ergonomic handle - **Code EH**
- Fork lift pockets - 3" x 6" (specify center line) - **Code FP**
- Other casters (page 99), other shelf heights available.

Model HT - with 2 shelves

WxL (in)	6" Casters Cat. No.'s			Wgt. (lbs)
	Phenolic	Rubber	Urethane	
24 x 48	HT248-P6	HT248-R6	HT248-U6	180
60	HT260-P6	HT260-R6	HT260-U6	200
30 x 48	HT348-P6	HT348-R6	HT348-U6	202
60	HT360-P6	HT360-R6	HT360-U6	232

Model HS - with 3 shelves

WxL (in)	6" Casters Cat. No.'s			Wgt. (lbs)
	Phenolic	Rubber	Urethane	
24 x 48	HS248-P6	HS248-R6	HS248-U6	222
60	HS260-P6	HS260-R6	HS260-U6	252
30 x 48	HS348-P6	HS348-R6	HS348-U6	254
60	HS360-P6	HS360-R6	HS360-U6	292

Model HR - with 4 shelves

WxL (in)	6" Casters Cat. No.'s			Wgt. (lbs)
	Phenolic	Rubber	Urethane	
24 x 48	HR248-P6	HR248-R6	HR248-U6	260
60	HR260-P6	HR260-R6	HR260-U6	300
30 x 48	HR348-P6	HR348-R6	HR348-U6	298
60	HR360-P6	HR360-R6	HR360-U6	354

3 Sided Mesh Trucks (1, 2, & 3 Shelves)

Model ZA, ZB, ZC - Heavy duty truck with visual sides for large packages

2,000 LB CAPACITY



Model ZA Shown

3,000 LB CAPACITY*
(*2,000 lb with rubber casters)



Model ZB Shown

3,000 LB CAPACITY*
(*2,000 lb with rubber casters)



Model ZC Shown

Product Features:

- Limited access one side.
- Three sides flattened 13 gauge expanded mesh 4' high.
- All welded construction (except casters).
- Durable 12 gauge steel shelves, 3/16" thick angle corners, and 12 gauge caster mounts for long lasting use.
- Tubular handle with smooth radius bend for comfort and uniform appearance.
- Bolt on casters, 2 swivel & 2 rigid, for easy replacement and superior cart tracking - see specifications chart.
- Clearance between shelves - Model ZB - 22" & Model ZC - 15"
- 1-1/2" shelf lips up for retention. • Overall height - 57".

Options:

- 2 wheel brakes on swivel casters - **Code B6**
- Floor lock (centered on handle end) - **Code F6**
- Three sides flattened 13 gauge expanded mesh 5' high - **Code SF**
- Ergonomic handle - **Code EH**
- Shelf lips down (flush) - **Code FA**
- Fork lift pockets - 3" x 6" (specify center line) - **Code FP**
- Other casters (page 99) and shelf heights available.

**3' High Sides
Version
Model GZ
see page 55**

Model ZA - with 1 shelf

WxL (in)	6" Casters Cat. No.'s			Wgt. (lbs)
	Phenolic	Rubber	Urethane	
24 x 36	ZA236-P6	ZA236-R6	ZA236-U6	130
42	ZA242-P6	ZA242-R6	ZA242-U6	138
48	ZA248-P6	ZA248-R6	ZA248-U6	146
60	ZA260-P6	ZA260-R6	ZA260-U6	160
72	ZA272-P6	ZA272-R6	ZA272-U6	174
30 x 48	ZA348-P6	ZA348-R6	ZA348-U6	162
60	ZA360-P6	ZA360-R6	ZA360-U6	178
72	ZA372-P6	ZA372-R6	ZA372-U6	196
36 x 48	ZA448-P6	ZA448-R6	ZA448-U6	178
60	ZA460-P6	ZA460-R6	ZA460-U6	198
72	ZA472-P6	ZA472-R6	ZA472-U6	216

Model ZB - with 2 shelves

WxL (in)	6" Casters Cat. No.'s			Wgt. (lbs)
	Phenolic	Rubber	Urethane	
24 x 36	ZB236-P6	ZB236-R6	ZB236-U6	162
42	ZB242-P6	ZB242-R6	ZB242-U6	174
48	ZB248-P6	ZB248-R6	ZB248-U6	186
60	ZB260-P6	ZB260-R6	ZB260-U6	212
72	ZB272-P6	ZB272-R6	ZB272-U6	236
30 x 48	ZB348-P6	ZB348-R6	ZB348-U6	214
60	ZB360-P6	ZB360-R6	ZB360-U6	242
72	ZB372-P6	ZB372-R6	ZB372-U6	270
36 x 48	ZB448-P6	ZB448-R6	ZB448-U6	240
60	ZB460-P6	ZB460-R6	ZB460-U6	272
72	ZB472-P6	ZB472-R6	ZB472-U6	306

Model ZC - with 3 shelves

WxL (in)	6" Casters Cat. No.'s			Wgt. (lbs)
	Phenolic	Rubber	Urethane	
24 x 36	ZC236-P6	ZC236-R6	ZC236-U6	194
42	ZC242-P6	ZC242-R6	ZC242-U6	212
48	ZC248-P6	ZC248-R6	ZC248-U6	228
60	ZC260-P6	ZC260-R6	ZC260-U6	264
72	ZC272-P6	ZC272-R6	ZC272-U6	298
30 x 48	ZC348-P6	ZC348-R6	ZC348-U6	264
60	ZC360-P6	ZC360-R6	ZC360-U6	306
72	ZC372-P6	ZC372-R6	ZC372-U6	346
36 x 48	ZC448-P6	ZC448-R6	ZC448-U6	300
60	ZC460-P6	ZC460-R6	ZC460-U6	348
72	ZC472-P6	ZC472-R6	ZC472-U6	394

3 Sided Mesh Trucks (4 Shelves)

Model ZD - Heavy duty trucks with visual sides for large packages used in warehouse, stockroom or shipping

3,000 LB CAPACITY*
(*2,000 lb with rubber casters)



Options:

- 2 wheel brakes on swivel casters - **Code B6**
- Floor lock (centered on handle end) - **Code F6**
- Three sides flattened 13 gauge expanded mesh 5' high - **Code SF**
- Ergonomic handle - **Code EH**
- All shelves lips down (flush) - **Code FA**
- Fork lift pockets - 3" x 6" (specify center line) - **Code FP**
- Other casters (page 99) and shelf heights available.

Product Features:

- **Limited access one side.**
- **Three sides flattened 13 gauge expanded mesh 4' high.**
- All welded construction (except casters).
- Durable **12 gauge steel shelves**, 3/16" thick angle corners, and 12 gauge caster mounts for long lasting use.
- Tubular handle with smooth radius bend for comfort and uniform appearance.
- Bolt on casters, 2 swivel & 2 rigid, for easy replacement and superior cart tracking - see specifications chart.
- 1-1/2" shelf lips up for retention (see options).
- Clearance between shelves - 13".
- Overall height - 57".

SPECIFICATIONS

WxL (in)	6" Casters Cat. No.'s			Wgt. (lbs)
	Phenolic	Rubber	Urethane	
24 x 36	ZD236-P6	ZD236-R6	ZD236-U6	226
	ZD242-P6	ZD242-R6	ZD242-U6	248
	ZD248-P6	ZD248-R6	ZD248-U6	270
	ZD260-P6	ZD260-R6	ZD260-U6	314
	ZD272-P6	ZD272-R6	ZD272-U6	360
30 x 48	ZD348-P6	ZD348-R6	ZD348-U6	316
	ZD360-P6	ZD360-R6	ZD360-U6	368
	ZD372-P6	ZD372-R6	ZD372-U6	422
36 x 48	ZD448-P6	ZD448-R6	ZD448-U6	360
	ZD460-P6	ZD460-R6	ZD460-U6	422
	ZD472-P6	ZD472-R6	ZD472-U6	484

3 Sided Mesh Trucks (Adjustable Shelf)

Model ZR - Flexible heavy duty trucks for large packages

3,000 LB CAPACITY*
(*2,000 lb with rubber casters)



Options:

- 2 wheel brakes on swivel casters - **Code B6**
- Floor lock (centered on handle end) - **Code F6**
- Three sides flattened 13 gauge expanded mesh 5' high - **Code SF**
- Ergonomic handle - **Code EH**
- All shelves lips down (flush) - **Code FA**
- Fork lift pockets - 3" x 6" (specify center line) - **Code FP**
- Additional adjustable shelves - **Code AT**

Product Features:

- **Limited access one side.**
- **Three sides flattened 13 gauge expanded mesh 4' high.**
- All welded construction (except casters and adjustable shelf).
- **Adjustable middle shelf** is standard - adjustable on 3-1/2" centers - see options for additional shelves.
- Durable **12 gauge steel shelves**, 3/16" thick angle corners, and 12 gauge caster mounts for long lasting use.
- Tubular handle with smooth radius bend for comfort and uniform appearance.
- Bolt on casters, 2 swivel & 2 rigid, for easy replacement and superior cart tracking - see specifications chart.
- 1-1/2" shelf lips up for retention (see options). • Overall height - 57".

SPECIFICATIONS

WxL (in)	6" Casters Cat. No.'s			Wgt. (lbs)
	Phenolic	Rubber	Urethane	
24 x 36	ZR236-P6	ZR236-R6	ZR236-U6	184
	ZR242-P6	ZR242-R6	ZR242-U6	196
	ZR248-P6	ZR248-R6	ZR248-U6	208
	ZR260-P6	ZR260-R6	ZR260-U6	234
	ZR272-P6	ZR272-R6	ZR272-U6	258
30 x 48	ZR348-P6	ZR348-R6	ZR348-U6	236
	ZR360-P6	ZR360-R6	ZR360-U6	264
	ZR372-P6	ZR372-R6	ZR372-U6	292
36 x 48	ZR448-P6	ZR448-R6	ZR448-U6	262
	ZR460-P6	ZR460-R6	ZR460-U6	294
	ZR472-P6	ZR472-R6	ZR472-U6	328

Other casters (page 99) available.

3 Sided Slat Trucks (1, 2, & 3 Shelves)

Models HA, HB & HC - Heavy duty trucks with visual sides for large packages

2,000 LB CAPACITY



3,000 LB CAPACITY*
(*2,000 lb with rubber casters)

Model HA Shown
With Option FA



3,000 LB CAPACITY*
(*2,000 lb with rubber casters)

Model HB Shown
With Option FA



Model HC Shown With Option FA

Product Features:

- Limited access one side.
- 1" x 3/16" steel slats on 6" centers 4' high on 3 sides.
- All welded construction (except casters).
- Durable **12 gauge steel shelves**, 3/16" thick angle corners, and 12 gauge caster mounts for long lasting use.
- Tubular handle with smooth radius bend for comfort and uniform appearance.
- Bolt on casters, 2 swivel & 2 rigid, for easy replacement and superior cart tracking - see specifications chart.
- Clearance between shelves - Model HB - 22" & Model HC - 15"
- 1-1/2" shelf lips up for retention (see options). • Overall height - 57".

Options:

- 2 wheel brakes on swivel casters - **Code B6**
- Floor lock (centered on handle end) - **Code F6**
- Ergonomic handle - **Code EH**
- Shelf lips down (flush) - **Code FA**
- Fork lift pockets - 3" x 6" (specify center line) - **Code FP**
- Other casters (page 99) and shelf heights available.

Model HA - with 1 shelf

WxL (in)	6" Casters Cat. No.'s			Wgt. (lbs)
	Phenolic	Rubber	Urethane	
24 x 36	HA236-P6	HA236-R6	HA236-U6	124
42	HA242-P6	HA242-R6	HA242-U6	130
48	HA248-P6	HA248-R6	HA248-U6	138
60	HA260-P6	HA260-R6	HA260-U6	150
72	HA272-P6	HA272-R6	HA272-U6	164
30 x 48	HA348-P6	HA348-R6	HA348-U6	152
60	HA360-P6	HA360-R6	HA360-U6	168
72	HA372-P6	HA372-R6	HA372-U6	184
36 x 48	HA448-P6	HA448-R6	HA448-U6	168
60	HA460-P6	HA460-R6	HA460-U6	186
72	HA472-P6	HA472-R6	HA472-U6	204

Model HB - with 2 shelves

WxL (in)	6" Casters Cat. No.'s			Wgt. (lbs)
	Phenolic	Rubber	Urethane	
24 x 36	HB236-P6	HB236-R6	HB236-U6	156
42	HB242-P6	HB242-R6	HB242-U6	168
48	HB248-P6	HB248-R6	HB248-U6	178
60	HB260-P6	HB260-R6	HB260-U6	202
72	HB272-P6	HB272-R6	HB272-U6	226
30 x 48	HB348-P6	HB348-R6	HB348-U6	204
60	HB360-P6	HB360-R6	HB360-U6	232
72	HB372-P6	HB372-R6	HB372-U6	260
36 x 48	HB448-P6	HB448-R6	HB448-U6	230
60	HB460-P6	HB460-R6	HB460-U6	262
72	HB472-P6	HB472-R6	HB472-U6	294

Model HC - with 3 shelves

WxL (in)	6" Casters Cat. No.'s			Wgt. (lbs)
	Phenolic	Rubber	Urethane	
24 x 36	HC236-P6	HC236-R6	HC236-U6	188
42	HC242-P6	HC242-R6	HC242-U6	204
48	HC248-P6	HC248-R6	HC248-U6	220
60	HC260-P6	HC260-R6	HC260-U6	254
72	HC272-P6	HC272-R6	HC272-U6	288
30 x 48	HC348-P6	HC348-R6	HC348-U6	256
60	HC360-P6	HC360-R6	HC360-U6	296
72	HC372-P6	HC372-R6	HC372-U6	336
36 x 48	HC448-P6	HC448-R6	HC448-U6	290
60	HC460-P6	HC460-R6	HC460-U6	336
72	HC472-P6	HC472-R6	HC472-U6	382

Made in U.S.A.

3 Sided Slat Trucks (4 Shelves)

Model HD - Versatile heavy duty large package trucks for warehouse, stockroom or shipping

3,000 LB CAPACITY*
(*2,000 lb with rubber casters)



Shown With Option FA

Options:

- 2 wheel brakes on swivel casters - **Code B6**
- Floor lock (centered on handle end) - **Code F6**
- Ergonomic handle - **Code EH**
- All shelves lips down (flush) - **Code FA**
- Fork lift pockets - 3" x 6" (specify center line) - **Code FP**
- Other casters (page 99) and shelf heights available.

Product Features:

- Limited access one side.
- 1" x 3/16" steel slats on 6" centers 4' high on 3 sides.
- All welded construction (except casters).
- Durable **12 gauge steel shelves**, 3/16" thick angle corners, and 12 gauge caster mounts for long lasting use.
- Tubular handle with smooth radius bend for comfort and uniform appearance.
- Bolt on casters, 2 swivel & 2 rigid, for easy replacement and superior cart tracking - see specifications chart.
- 1-1/2" shelf lips up for retention (see options).
- Clearance between shelves - 13".
- Overall height - 57".

SPECIFICATIONS

WxL (in)	6" Casters Cat. No.'s			Wgt. (lbs)
	Phenolic	Rubber	Urethane	
24 x 36	HD236-P6	HD236-R6	HD236-U6	220
42	HD242-P6	HD242-R6	HD242-U6	242
48	HD248-P6	HD248-R6	HD248-U6	262
60	HD260-P6	HD260-R6	HD260-U6	306
72	HD272-P6	HD272-R6	HD272-U6	350
30 x 48	HD348-P6	HD348-R6	HD348-U6	306
60	HD360-P6	HD360-R6	HD360-U6	358
72	HD372-P6	HD372-R6	HD372-U6	410
36 x 48	HD448-P6	HD448-R6	HD448-U6	350
60	HD460-P6	HD460-R6	HD460-U6	410
72	HD472-P6	HD472-R6	HD472-U6	472

3 Sided Slat Trucks (Adjustable Shelf)

Model HZ - Flexible heavy duty trucks for large packages

3,000 LB CAPACITY*
(*2,000 lb with rubber casters)



Options:

- 2 wheel brakes on swivel casters - **Code B6**
- Floor lock (centered on handle end) - **Code F6**
- Ergonomic handle - **Code EH**
- All shelves lips down (flush) - **Code FA**
- Fork lift pockets - 3" x 6" (specify center line) - **Code FP**
- Additional adjustable shelves - **Code AT**

Product Features:

- Limited access one side.
- 1" x 3/16" steel slats on 6" centers 4' high on 3 sides.
- All welded construction (except casters and adjustable shelf).
- **Adjustable middle shelf** is standard - adjustable on 3-1/2" centers - see options for additional shelves.
- Durable **12 gauge steel shelves**, 3/16" thick angle corners, and 12 gauge caster mounts for long lasting use.
- Tubular handle with smooth radius bend for comfort and uniform appearance.
- Bolt on casters, 2 swivel & 2 rigid, for easy replacement and superior cart tracking - see specifications chart.
- 1-1/2" shelf lips up for retention (see options).
- Overall height - 57".

SPECIFICATIONS

WxL (in)	6" Casters Cat. No.'s			Wgt. (lbs)
	Phenolic	Rubber	Urethane	
24 x 36	HZ236-P6	HZ236-R6	HZ236-U6	178
42	HZ242-P6	HZ242-R6	HZ242-U6	190
48	HZ248-P6	HZ248-R6	HZ248-U6	200
60	HZ260-P6	HZ260-R6	HZ260-U6	224
72	HZ272-P6	HZ272-R6	HZ272-U6	248
30 x 48	HZ348-P6	HZ348-R6	HZ348-U6	226
60	HZ360-P6	HZ360-R6	HZ360-U6	254
72	HZ372-P6	HZ372-R6	HZ372-U6	282
36 x 48	HZ448-P6	HZ448-R6	HZ448-U6	252
60	HZ460-P6	HZ460-R6	HZ460-U6	284
72	HZ472-P6	HZ472-R6	HZ472-U6	316

Other casters (page 99) available.

Cart capacities are the lesser capacity between cart shelves (evenly distributed load) and the casters

3 Sided Solid Trucks (1, 2, & 3 Shelves)

Models FA, FB & FC - Versatile heavy duty large package trucks

2,000 LB CAPACITY



Model FA Shown

3,000 LB CAPACITY*
(*2,000 lb with rubber casters)



Model FB Shown

3,000 LB CAPACITY*
(*2,000 lb with rubber casters)



Model FC Shown

Product Features:

- Limited access one side.
- 14 gauge sheet metal 4' high on 3 sides.
- All welded construction (except casters).
- Durable 12 gauge steel shelves, 3/16" thick angle corners, and 12 gauge caster mounts for long lasting use.
- Tubular handle with smooth radius bend for comfort and uniform appearance.
- Bolt on casters, 2 swivel & 2 rigid, for easy replacement and superior cart tracking - see specifications chart.
- Clearance between shelves - Model FB - 22" & Model FC - 15"
- 1-1/2" shelf lips up for retention (see options). • Overall height - 57".

Options:

- 2 wheel brakes on swivel casters - **Code B6**
- Floor lock (centered on handle end) - **Code F6**
- Ergonomic handle - **Code EH**
- Shelf lips down (flush) - **Code FA**
- Fork lift pockets - 3" x 6" (specify center line) - **Code FP**
- Other casters (page 99) and shelf heights available.

3' High Sides
Version
Model BZ
see page 53

Model FA - with 1 shelf

WxL (in)	6" Casters Cat. No.'s			Wgt. (lbs)
	Phenolic	Rubber	Urethane	
24 x 36	FA236-P6	FA236-R6	FA236-U6	232
42	FA242-P6	FA242-R6	FA242-U6	246
48	FA248-P6	FA248-R6	FA248-U6	262
60	FA260-P6	FA260-R6	FA260-U6	290
72	FA272-P6	FA272-R6	FA272-U6	320
30 x 48	FA348-P6	FA348-R6	FA348-U6	292
60	FA360-P6	FA360-R6	FA360-U6	324
72	FA372-P6	FA372-R6	FA372-U6	356
36 x 48	FA448-P6	FA448-R6	FA448-U6	324
60	FA460-P6	FA460-R6	FA460-U6	358
72	FA472-P6	FA472-R6	FA472-U6	390

Model FB - with 2 shelves

WxL (in)	6" Casters Cat. No.'s			Wgt. (lbs)
	Phenolic	Rubber	Urethane	
24 x 36	FB236-P6	FB236-R6	FB236-U6	264
42	FB242-P6	FB242-R6	FB242-U6	284
48	FB248-P6	FB248-R6	FB248-U6	302
60	FB260-P6	FB260-R6	FB260-U6	342
72	FB272-P6	FB272-R6	FB272-U6	380
30 x 48	FB348-P6	FB348-R6	FB348-U6	344
60	FB360-P6	FB360-R6	FB360-U6	386
72	FB372-P6	FB372-R6	FB372-U6	430
36 x 48	FB448-P6	FB448-R6	FB448-U6	384
60	FB460-P6	FB460-R6	FB460-U6	432
72	FB472-P6	FB472-R6	FB472-U6	480

Model FC - with 3 shelves

WxL (in)	6" Casters Cat. No.'s			Wgt. (lbs)
	Phenolic	Rubber	Urethane	
24 x 36	FC236-P6	FC236-R6	FC236-U6	296
42	FC242-P6	FC242-R6	FC242-U6	320
48	FC248-P6	FC248-R6	FC248-U6	344
60	FC260-P6	FC260-R6	FC260-U6	394
72	FC272-P6	FC272-R6	FC272-U6	442
30 x 48	FC348-P6	FC348-R6	FC348-U6	394
60	FC360-P6	FC360-R6	FC360-U6	450
72	FC372-P6	FC372-R6	FC372-U6	506
36 x 48	FC448-P6	FC448-R6	FC448-U6	494
60	FC460-P6	FC460-R6	FC460-U6	506
72	FC472-P6	FC472-R6	FC472-U6	568

3 Sided Solid Trucks (4 Shelves)

Model FD - Heavy duty trucks for large packages used in warehouse, stockroom or shipping

3,000 LB CAPACITY*
(*2,000 lb with rubber casters)



Options:

- 2 wheel brakes on swivel casters - **Code B6**
- Floor lock (centered on handle end) - **Code F6**
- Ergonomic handle - **Code EH**
- All shelves lips down (flush) - **Code FA**
- Fork lift pockets - 3" x 6" (specify center line) - **Code FP**
- Other casters (page 99) and shelf heights available.

Product Features:

- **Limited access one side.**
- **14 gauge sheet metal 4' high on 3 sides.**
- All welded construction (except casters).
- Durable **12 gauge steel shelves**, 3/16" thick angle corners, and 12 gauge caster mounts for long lasting use.
- Tubular handle with smooth radius bend for comfort and uniform appearance.
- Bolt on casters, 2 swivel & 2 rigid, for easy replacement and superior cart tracking - see specifications chart.
- 1-1/2" shelf lips up for retention (see options).
- Clearance between shelves - 13".
- Overall height - 57".

SPECIFICATIONS

WxL (in)	6" Casters Cat. No.'s			Wgt. (lbs)
	Phenolic	Rubber	Urethane	
24 x 36	FD236-P6	FD236-R6	FD236-U6	328
	42	FD242-P6	FD242-R6	358
	48	FD248-P6	FD248-R6	386
	60	FD260-P6	FD260-R6	446
	72	FD272-P6	FD272-R6	504
30 x 48	FD348-P6	FD348-R6	FD348-U6	446
	60	FD360-P6	FD360-R6	514
	72	FD372-P6	FD372-R6	580
36 x 48	FD448-P6	FD448-R6	FD448-U6	504
	60	FD460-P6	FD460-R6	582
	72	FD472-P6	FD472-R6	658

3 Sided Solid Trucks (Adjustable Shelf)

Model FR - Flexible heavy duty trucks for large packages

3,000 LB CAPACITY*
(*2,000 lb with rubber casters)



Options:

- 2 wheel brakes on swivel casters - **Code B6**
- Floor lock - **Code F6**
- Ergonomic handle - **Code EH**
- Shelf lips down - **Code FA**
- Fork lift pockets - 3" x 6" (specify center line) - **Code FP**
- Additional adjustable shelves - **Code AT**

Product Features:

- **Limited access one side.**
- **14 gauge sheet metal 4' high on 3 sides.**
- All welded construction (except casters and adjustable shelf).
- **Adjustable middle shelf** is standard - adjustable on 3-1/2" centers - see options for additional shelves.
- Durable **12 gauge steel shelves**, 3/16" thick angle corners, and 12 gauge caster mounts for long lasting use.
- Tubular handle with smooth radius bend for comfort and uniform appearance.
- Bolt on casters, 2 swivel & 2 rigid, for easy replacement and superior cart tracking - see specifications chart.
- 1-1/2" shelf lips up for retention (see options).
- Overall height - 57".

SPECIFICATIONS

WxL (in)	6" Casters Cat. No.'s			Wgt. (lbs)
	Phenolic	Rubber	Urethane	
24 x 36	FR236-P6	FR236-R6	FR236-U6	286
	42	FR242-P6	FR242-R6	306
	48	FR248-P6	FR248-R6	324
	60	FR260-P6	FR260-R6	364
	72	FR272-P6	FR272-R6	402
30 x 48	FR348-P6	FR348-R6	FR348-U6	366
	60	FR360-P6	FR360-R6	408
	72	FR372-P6	FR372-R6	452
36 x 48	FR448-P6	FR448-R6	FR448-U6	406
	60	FR460-P6	FR460-R6	454
	72	FR472-P6	FR472-R6	502

Other casters (page 99) available.