

# Upright Panel Movers

**Models TF, TH, TG, TY - Versatile transporter for material moved on its edge**

**1,200 LB CAPACITY**



Model TF Shown

**Product Features:**

- All welded frame construction.
- Durable **steel frame with 3 sockets on each end.**
- **3 removable 1-1/4" tubular dividers** with smooth radius bend - 27" high.
- **Load space between dividers -12"**
- Bolted on casters, **all 5" urethane swivels.** (Except Model TY.)
- Platform height - 8" Model TF, 9" Model TH, & 10" Model TG & 10" Model TY.
- Overall height - 35" (Except Model TY - 36")

**Other Specifications:**

**Model TH**

- Includes 3/4" wood deck.

**Model TG**

- Includes 2 carpeted 2" x 3" wood rails.

**Model TY**

- Includes 12 gauge flush deck.
- Bolted on casters, 2 swivel, 2 rigid.

**1,200 LB CAPACITY**



Model TH Shown

**Model TF - with steel frame**

WxL (in)	5" Casters Urethane	Ship Wgt. (lbs)
28 x 31	TF831-U5-AS	66

**1,200 LB CAPACITY**



Model TG Shown

**Model TH - with steel frame & wood deck**

WxL (in)	5" Casters Urethane	Ship Wgt. (lbs)
28 x 31	TH831-U5-AS	75

**Model TG - with steel frame & carpeted wood Rails**

WxL (in)	5" Casters Urethane	Ship Wgt. (lbs)
28 x 31	TG831-U5-AS	70

**2,000 LB CAPACITY**



Model TY Shown

**Model TY - with steel deck**

WxL (in)	5" Casters Urethane	Ship Wgt. (lbs)
28 x 31	TY831-U7	95

**All Ship UPS**

# Adjustable Sheet & Panel Trucks

**Models PG, TE, PO - Extra heavy duty transporters for upright panels and sheets**

**2,000 LB CAP.\*** (\*1,200 lb with full pneumatic casters)



Model PG Shown

**2,000 LB CAP.\*** (\*1,200 lb with full pneumatic casters)



Model TE Shown

**2,000 LB CAP.\*** (\*1,200 lb with full pneumatic casters)



Model PO Shown

### Product Features:

- All welded construction (except casters and removable dividers).
- Durable **12 gauge steel platform**, and 12 gauge caster mounts for long lasting use.
- **6 removable 1-1/4" tubular dividers** with smooth radius bend for safety and uniform appearance (see options).  
Standard 2 each: 12" high, 24" high, 36" high.
- **7 divider sockets** (each end).
- Bolt on casters, 2 swivel & 2 rigid, for easy replacement and superior cart tracking - see specifications chart.
- Platform flush for easy load and unload.
- Platform height - 9" (except full pneumatic 12")
- Overall height - 46" (except full pneumatic 49")

### Other Specifications:

#### Model TE

- Durable 12 gauge steel platform, with **3 carpeted rails**.

#### Model PO

- Durable 12 gauge steel platform, **capped with 3/4" varnished plywood**.

### Options:

- 2 wheel brakes on swivel casters - **Code B6 or BN**
- All swivel casters - **Code AS**
- Floor lock - **Code F6 or FN**
- **Other divider height combinations available** (specify).
- Other casters (page 99) available.

### Model PG - Steel Deck

WxL (in)	6" Casters Cat. No.'s				8" Full Pneumatic	
	Phenolic	Rubber	Urethane	Wgt. (lbs)	Cat. No.'s	Wgt. (lbs)
24 x 36	PG236-P6	PG236-R6	PG236-U6	132	PG236-N8	142
	48 PG248-P6	PG248-R6	PG248-U6	160	PG248-N8	170
	60 PG260-P6	PG260-R6	PG260-U6	180	PG260-N8	190
	72 PG272-P6	PG272-R6	PG272-U6	202	PG272-N8	212
30 x 36	PG336-P6	PG336-R6	PG336-U6	140	PG336-N8	150
	48 PG348-P6	PG348-R6	PG348-U6	168	PG348-N8	178
	60 PG360-P6	PG360-R6	PG360-U6	190	PG360-N8	200
	72 PG372-P6	PG372-R6	PG372-U6	210	PG372-N8	220
36 x 48	PG448-P6	PG448-R6	PG448-U6	178	PG448-N8	188
	60 PG460-P6	PG460-R6	PG460-U6	198	PG460-N8	208
	72 PG472-P6	PG472-R6	PG472-U6	220	PG472-N8	230

### Model TE - Steel Deck With Carpeted Rails

WxL (in)	6" Casters Cat. No.'s				8" Full Pneumatic	
	Phenolic	Rubber	Urethane	Wgt. (lbs)	Cat. No.'s	Wgt. (lbs)
30 x 36	TE336-P6	TE336-R6	TE336-U6	150	TE336-N8	160
	48 TE348-P6	TE348-R6	TE348-U6	178	TE348-N8	188
	60 TE360-P6	TE360-R6	TE360-U6	202	TE360-N8	212
	72 TE372-P6	TE372-R6	TE372-U6	222	TE372-N8	232

### Model PO - Wood Capped Steel Deck

WxL (in)	6" Casters Cat. No.'s				8" Full Pneumatic	
	Phenolic	Rubber	Urethane	Wgt. (lbs)	Cat. No.'s	Wgt. (lbs)
24 x 36	P0236-P6	P0236-R6	P0236-U6	156	P0236-N8	166
	48 P0248-P6	P0248-R6	P0248-U6	180	P0248-N8	190
30 x 60	P0360-P6	P0360-R6	P0360-U6	222	P0360-N8	232
36 x 60	P0460-P6	P0460-R6	P0460-U6	238	P0460-N8	248
	72 P0472-P6	P0472-R6	P0472-U6	268	P0472-N8	278

# Fixed & Adjustable Sheet & Panel Trucks

**Models TA, TU, PF - Heavy duty steel transporters for upright panels and sheets**

**2,000 LB CAP.\*** (\*1,800 lb with rubber casters,  
1,200 lb with full pneumatic casters)



Model TA Shown

**2,000 LB CAP.\*** (\*1,800 lb with rubber casters,  
1,200 lb with full pneumatic casters)



Model TU Shown

**2,000 LB CAP.\*** (\*1,800 lb with rubber casters,  
1,200 lb with full pneumatic casters)



Model PF Shown

### Product Features:

- All welded construction (except casters).
- Durable **12 gauge steel platform with under bracing**, and 12 gauge caster mounts.
- **1-1/4" tubular dividers** with smooth radius bend for safety.
- Bolt on casters, 2 swivel & 2 rigid - see specifications chart.
- 1-1/2" platform lips down for flush load and unload.
- Platform height - 9" (10" Model TU).
- Overall height - 45" (48" with 8" full pneumatic casters).

### Model TA

- 2 removable dividers - height 36"
- 4 divider positions.

### Model TU

- 2 removable dividers - height 36"
- Durable 12 gauge steel platform, capped with 3/4" varnished plywood
- 4 divider positions.

### Model PF

- 4 fixed dividers - 2 heights
- 2 outside dividers - 24" & 2 inside dividers - 36"

### Options:

- 2 wheel brakes on swivel casters - **Code B7 or BN**
- All swivel casters - **Code AS**
- Floor lock - **Code F7 or FN**
- Other casters (page 99) available.

**1,200 lb cap.  
2 divider position  
model PR  
see page 25**

### Model TA - Removable Dividers With 4 Positions

WxL (in)	5" Casters Cat. No.'s				8" Full Pneumatic	
	Phenolic	Rubber	Urethane	Wgt. (lbs)	Cat. No.'s	Wgt. (lbs)
24 x 36	TA236-P7	TA236-R7	TA236-U7	116	TA236-N8	126
48	TA248-P7	TA248-R7	TA248-U7	128	TA248-N8	138
60	TA260-P7	TA260-R7	TA260-U7	140	TA260-N8	150
72	TA272-P7	TA272-R7	TA272-U7	150	TA272-N8	160
30 x 36	TA336-P7	TA336-R7	TA336-U7	136	TA336-N8	146
48	TA348-P7	TA348-R7	TA348-U7	146	TA348-N8	156
60	TA360-P7	TA360-R7	TA360-U7	158	TA360-N8	168
72	TA372-P7	TA372-R7	TA372-U7	170	TA372-N8	180
36 x 48	TA448-P7	TA448-R7	TA448-U7	158	TA448-N8	168
60	TA460-P7	TA460-R7	TA460-U7	172	TA460-N8	182
72	TA472-P7	TA472-R7	TA472-U7	186	TA472-N8	196

### Model TU - Removable Dividers with Wood Capped Steel Deck

WxL (in)	5" Casters Cat. No.'s				8" Full Pneumatic	
	Phenolic	Rubber	Urethane	Wgt. (lbs)	Cat. No.'s	Wgt. (lbs)
24 x 36	TU236-P7	TU236-R7	TU236-U7	140	TU236-N8	150
48	TU248-P7	TU248-R7	TU248-U7	168	TU248-N8	178
30 x 60	TU360-P7	TU360-R7	TU360-U7	184	TU360-N8	194
36 x 60	TU460-P7	TU460-R7	TU460-U7	210	TU460-N8	220
36 x 72	TU472-P7	TU472-R7	TU472-U7	222	TU472-N8	232

### Model PF - Fixed Dividers

WxL (in)	5" Casters Cat. No.'s				8" Full Pneumatic	
	Phenolic	Rubber	Urethane	Wgt. (lbs)	Cat. No.'s	Wgt. (lbs)
24 x 36	PF236-P7	PF236-R7	PF236-U7	116	PF236-N8	126
48	PF248-P7	PF248-R7	PF248-U7	130	PF248-N8	140
30 x 36	PF336-P7	PF336-R7	PF336-U7	138	PF336-N8	148
48	PF348-P7	PF348-R7	PF348-U7	154	PF348-N8	164

# Cardboard Carton & Divider Trucks

## Models CP, CS & DG - Heavy duty divider trucks

1,200 LB CAP.\* (\*800 lb. with T5 casters)



Model CP Shown

1,200 LB CAP.\* (\*800 lb. with T5 casters)



Model CS Shown

1,800 LB CAP.\* (\*1,200 lb with full pneumatic casters)



Model DG Shown

### Product Features:

- Sockets 6" apart - for number of rails see other specs.
- All welded construction (except casters and removable rails).
- Durable **12 gauge steel platforms**, and 12 gauge caster mounts for long lasting use.
- Tubular handle with smooth radius bend.
- Bolt on casters, 2 swivel & 2 rigid, for easy replacement and superior cart tracking - see specifications chart.
- 1-1/2" platform lips down for flush load and unload.

**NOTE: Side sockets add 3" to truck width.**

### Other Specifications:

#### Models CP & CS:

- 1 1/2" angle end frames are 3/16" thick
- 1" removable tubular divider rails - 26" high (both levels)  
Number of Rails (Model CS has 1 level)
  - 6 - on a 48" length cart (3 per level)
  - 8 - on a 60" length cart (4 per level)
  - 10 - on a 72" length cart (5 per level)
- Clearance between shelves 34" (Model CP)
- Overall height - Model CP - 70" (74" with N8)  
Model CS - 34" (38" with N8)

#### Model DG:

- 1-1/4" removable tubular divider rails - 36" high  
Number of Rails
  - 8 - on a 48" length cart
  - 10 - on a 60" length cart
  - 12 - on a 72" length cart
- Removable handle 30" high.
- Overall height - 42" (46" with N8).

### Options:

- 2 wheel brakes on swivel casters - **Code B5, B7 or BN**
- All swivel casters - **Code AS**
- Floor lock - **Code F5, F7 or FN**
- Other casters (page 99) available.

### Model CP - Two Level Cardboard Carton Truck

WxL (in)	5" Casters Cat. No.'s				8" Full Pneumatic	
	Urethane	Thermorubber	Steel	Wgt. (lbs)	Cat. No.'s	Wgt. (lbs)
24 x 48	CP248-U5	CP248-T5	CP248-L5	220	CP248-N8	244
60	CP260-U5	CP260-T5	CP260-L5	240	CP260-N8	264
72	CP272-U5	CP272-T5	CP272-L5	260	CP272-N8	284

### Model CS - Single Level Cardboard Carton Truck

WxL (in)	5" Casters Cat. No.'s				8" Full Pneumatic	
	Urethane	Thermorubber	Steel	Wgt. (lbs)	Cat. No.'s	Wgt. (lbs)
24 x 48	CS248-U5	CS248-T5	CS248-L5	150	CS248-N8	174
60	CS260-U5	CS260-T5	CS260-L5	170	CS260-N8	194
72	CS272-U5	CS272-T5	CS272-L5	190	CS272-N8	214

### Model DG - Adjustable Dividers On 6" Centers

WxL (in)	5" Casters Cat. No.'s				8" Full Pneumatic	
	Phenolic	Rubber	Urethane	Wgt. (lbs)	Cat. No.'s	Wgt. (lbs)
24 x 48	DG248-P7	DG248-R7	DG248-U7	198	DG248-N8	212
60	DG260-P7	DG260-R7	DG260-U7	216	DG260-N8	230
72	DG272-P7	DG272-R7	DG272-U7	234	DG272-N8	248
30 x 48	DG348-P7	DG348-R7	DG348-U7	216	DG348-N8	230
60	DG360-P7	DG360-R7	DG360-U7	234	DG360-N8	248
72	DG372-P7	DG372-R7	DG372-U7	252	DG372-N8	266
36 x 48	DG448-P7	DG448-R7	DG448-U7	234	DG448-N8	248
60	DG460-P7	DG460-R7	DG460-U7	252	DG460-N8	266
72	DG472-P7	DG472-R7	DG472-U7	270	DG472-N8	284

# Panel & Pipe Trucks

## Models PC, TM, TP - Transports panels, drywall, and pipes & bars

2,000 LB CAP.\* (\*1,200 lb with full pneumatic casters)

### Product Features:

- All welded construction (except casters).
- Durable **12 gauge steel platform**, and 12 gauge caster mounts for long lasting use.
- Bolt on casters, 2 swivel & 2 rigid, for easy replacement and superior cart tracking - see specifications chart.
- Overall height - 57" (59" with full pneumatic casters) (except TP - 59").

### Model PC

- Angle "A" frame 48" above deck, angle 1-1/2" by 3/16" thickness.
- Usable deck space each side of "A" frame: 24" width - 4-1/2", 30" width - 7-1/2", 36" width - 10-1/2"
- 1-1/2" platform lips up on sides for retention and down (flush) on ends.

### Model TM

- Angle "A" frame 48" above deck, angle 1-1/2" by 3/16" thickness.
- Sloped 12 gauge deck to help balance drywall and prevent edge damage.
- 1-1/2" platform lips down for flush load and unload.
- Platform height - 9".
- Usable sloped deck space - 9" deep

### Model TP

- **4" channel uprights, 1-1/2" square tube arms.**
- **3 load levels.**
- Platform height - 11".
- Usable arm spacing (horizontal) - each side:
  - Top - 6-1/2"
  - Middle - 9-1/2"
  - Bottom - 14-1/2"

### Options:

- 2 wheel brakes on swivel casters - **Code B6, B8 or BN**
- All swivel casters - **Code AS**
- Floor lock - **Code F6, F8 or FN**
- Other casters (page 99) available.

### Model PC - "A" Frame Panel Truck

WxL (in)	6" Casters Cat. No.'s			Wgt. (lbs)	8" Full Pneumatic	
	Phenolic	Rubber	Urethane		Cat. No.'s	Wgt. (lbs)
24 x 36	PC236-P6	PC236-R6	PC236-U6	140	PC236-N8	160
42	PC242-P6	PC242-R6	PC242-U6	146	PC242-N8	166
48	PC248-P6	PC248-R6	PC248-U6	152	PC248-N8	172
60	PC260-P6	PC260-R6	PC260-U6	166	PC260-N8	186
72	PC272-P6	PC272-R6	PC272-U6	180	PC272-N8	200
30 x 48	PC348-P6	PC348-R6	PC348-U6	166	PC348-N8	186
	60	PC360-P6	PC360-R6	180	PC360-N8	200
	72	PC372-P6	PC372-R6	194	PC372-N8	214
36 x 48	PC448-P6	PC448-R6	PC448-U6	180	PC448-N8	200
	60	PC460-P6	PC460-R6	196	PC460-N8	216
	72	PC472-P6	PC472-R6	222	PC472-N8	242

### Model TM - Drywall & Panel Truck

WxL (in)	6" Casters Cat. No.'s			Wgt. (lbs)	8" Full Pneumatic	
	Phenolic	Rubber	Urethane		Cat. No.'s	Wgt. (lbs)
24 x 48	TM248-P6	TM248-R6	TM248-U6	144	TM248-N8	164

### Model TP - Bar & Pipe Truck

WxL (in)	8" Casters Cat. No.'s			Wgt. (lbs)	
	Phenolic	Rubber	Urethane		Steel
36 x 48	TP448-P8	TP448-R8	TP448-U8	TP448-L8	244
60	TP460-P8	TP460-R8	TP460-U8	TP460-L8	260
72	TP472-P8	TP472-R8	TP472-U8	TP472-L8	276



Model PC Shown

2,000 LB CAP.\* (\*1,200 lb with full pneumatic casters)



Model TM Shown

4,000 LB CAP.\* (\*2,400 lb with rubber casters)



Model TP Shown

# Single & Dual Sided Removable Tray Trucks

**Models TS & TD - Versatile tray unit for transporting to multiple stations**

**2,000 LB CAPACITY\***

(\*1,200 lb with full pneumatic casters)

**Design Your Own System**

**Product Features** (including accessories):

- **14 gauge Hook on Trays** with dual wire drop handles and **open or closed fronts** in two sizes 9" x 36" x 3" high and 15" x 36" x 6" high - see accessories.
- **1-1/2" square tubular base frame.**
- **Slotted 12 gauge channel uprights (slots on 3-1/2" centers).**
- All welded construction (except casters).
- Bolt on casters, 2 swivel & 2 rigid, for ease of replacement and superior cart tracking - see specifications.
- Overall height - 67" (69" with full pneumatic casters)

**Options:**

- 2 wheel brakes on swivel casters
- Floor lock - **Code F6 or FN**
- **Code B6 or BN**
- Other casters (page 99) available.

## Specifications

**Model TS - Single Sided Frame (trays not included)**

WxL (in)	6" Casters Cat. No.'s				8" Full Pneumatic	
	Phenolic	Rubber	Urethane	Wgt. (lbs)	Cat. No.'s	Wgt. (lbs)
18 x 38	TS138-P6	TS138-R6	TS138-U6	110	TS138-N8	120
24 x 38	TS238-P6	TS238-R6	TS238-U6	114	TS238-N8	124

**Note:** Maximum number trays per unit - 3" - 14, 6" - 7

**Model TD - Dual Sided Frame (trays not included)**

WxL (in)	6" Casters Cat. No.'s				8" Full Pneumatic	
	Phenolic	Rubber	Urethane	Wgt. (lbs)	Cat. No.'s	Wgt. (lbs)
30 x 38	TD338-P6	TD338-R6	TD338-U6	118	TD338-N8	134
40 x 38	TD438-P6	TD438-R6	TD438-U6	124	TD438-N8	140

**Note:** Maximum number trays per unit - 3" - 28, 6" - 14

## Trays

Open Front Cat.No.'s	Closed Front Cat.No.'s	Dimensions (in)			Wgt. (lbs)
		Depth	Length	Height	
T3	C3	9	36	3	16
T6	C6	15	36	6	28

**Note:** T6 & C6 trays only fit models TS238 and TD438.

## Louvered Panel

Cat. No.'s	Item	Wgt. (lbs)
LP	19" x 36" Panel	6



Single Sided

Model TS Shown



Dual Sided

Model TD Shown

## Accessories

### Hanger Bars & Spindles

Cat. No.'s	Item	Wgt. (lbs)
HB	36" Hanger Bar	12
SP	15" Spindle	1

**Note:** Hanger Bar is 4" high and accepts 1/2" d spindles on 2" centers.

### Tray Dividers

Cat. No.'s	Item	Wgt. (lbs)
D3	3" Tray Divider	1
D6	6" Tray Divider	2



Model TR Shown

# Solid & Mesh Pan Tray Trucks

**2 Tray Capacities - 14 & 28 • 2 Sizes 24 x 33 & 36 x 33 • 2 Different Trays - Solid & Mesh**

**1,200 LB CAPACITY**

**Product Features:**

- All welded construction.
- 1" square tube construction - 14 gauge.
- 1-1/4" angle tray holders - 12 gauge.
- 12 gauge caster mounts.
- Bolt on casters 5" urethane (2 swivel with brakes & 2 rigid).
- Clearance between tray holders - 14 tray truck - 4", 28 tray truck - 2"
- Overall height 66".

**Accessory Trays:**

- Solid - 16 gauge with 1-1/2" lips.
- Mesh - 16 gauge - 1/2" flattened mesh with flat solid border (all sides).

## SPECIFICATIONS

**Model TR - 14 Tray Trucks**

DxW (in)	Model No.	Wgt. (lbs)
24 x 33	TR233-U5-B5	114
36 x 33	TR433-U5-B5	144

**Accessory Trays**

**For 24 x 33 Trucks**

DxW (in)	Type	Model No.	Wgt. (lbs)
24 x 30	Solid	ST2	15
24 x 30	Mesh	MT2	7

**Model TT - 28 Tray Trucks**

DxW (in)	Model No.	Wgt. (lbs)
24 x 33	TT233-U5-B5	170
36 x 33	TT433-U5-B5	226

**For 36 x 33 Trucks**

DxW (in)	Type	Model No.	Wgt. (lbs)
36 x 30	Solid	ST4	22
36 x 30	Mesh	MT4	10